



MULTICENTER OSTEOARTHRITIS STUDY  
**ANNOTATED DATA COLLECTION FORMS**

60-MONTH FOLLOW-UP DATASET  
SEPTEMBER 2013

This document displays the MOST data collection forms annotated with the variable names and data values that are used for the instruments and measurements conducted at the 60-month time point.

**TABLE OF CONTENTS**

<b>Workbook</b>	<b>Workbook Pages</b>	<b>Document Pages</b>
Telephone Interview	1 - 8	[ 1 - 8 ]
Self-Administered Questionnaire – Home	1 - 25	[ 9 - 32 ]
Self-Administered Questionnaire – Clinic	1 - 6	[ 33 - 38 ]
Clinic Interview and Visit	1 - 75	[ 39 - 105 ]

**ANALYST NOTES**

***Released Variables***

Released variables are displayed in bold blue font.

Example: **MOSTID**

***Variables Not Released***

Variables not released are displayed in gray font and lined out.

Example: ~~V3SDAT2~~

*Note: Where all the variables on a page are not released, the page is crossed out with an "X".*

***Calculated Variables***

Calculated variables are displayed in bold blue font within a text box.

Example: **V3MCOMOR**

---

# MOST 60-MONTH FOLLOW-UP TELEPHONE INTERVIEW



Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> <p style="text-align: center; color: blue; font-weight: bold;">MOSTID</p>	<div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> <p style="text-align: center; color: blue; font-weight: bold;">ACROSTIC</p>	<div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> / <div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> / <div style="border: 1px solid black; width: 100px; height: 20px; margin: 0 auto;"></div> <p style="text-align: center; color: blue; font-weight: bold; border: 2px solid blue;">V3_TIDIFF</p>	<p>1 <input type="radio"/> SITE 1</p> <p>2 <input type="radio"/> SITE 2</p> <p style="color: blue; font-weight: bold; font-size: 1.2em;">SITE</p>

## Knee Symptoms

---

First, I am going to ask you some questions about pain, aching, or stiffness in or around your knees. The first set of questions are about your right knee. Then I will ask you the same questions about your left knee.

### Right Knee

The first questions will be specifically about your right knee.

1. During the past 12 months, have you had any pain, aching, or stiffness in your right knee?

V312MR
     
  1 Yes
     
  0 No
     
  8 Don't know/Refused

1a. During the past 12 months, have you had pain, aching, or stiffness in your right knee on most days for at least one month?

Go to Question #3.

V312MSR

1 Yes     
  0 No     
  8 Don't know

2. During the past 30 days, have you had any pain, aching, or stiffness in your right knee?

V330DR
     
  1 Yes
     
  0 No
     
  8 Don't know/Refused

Go to Question #3.

2a. During the past 30 days, have you had pain, aching, or stiffness in your right knee on most days?

V330MSR

1 Yes     
  0 No     
  8 Don't know



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Knee Symptoms

### Left Knee

Now I'll ask you specifically about your left knee.

3. During the past 12 months, have you had any pain, aching, or stiffness in your left knee?

**V312ML**

**1**  Yes

**0**  No

**8**  Don't know/Refused

**3a.** During the past 12 months, have you had pain, aching, or stiffness in your left knee on most days for at least one month?

**V312MSL**

**1**  Yes

**0**  No

**8**  Don't know

Go to Question #5.

4. During the past 30 days, have you had any pain, aching, or stiffness in your left knee?

**V330DL**

**1**  Yes

**0**  No

**8**  Don't know/Refused

**4a.** During the past 30 days, have you had pain, aching, or stiffness in your left knee on most days?

**V330MSL**

**1**  Yes

**0**  No

**8**  Don't know

Go to Question #5.

### Both Knees

Now I'll ask you about both knees.

5. During the past 30 days, have you limited your activities because of pain, aching, or stiffness in either knee?

**V3LA**

**1**  Yes

**0**  No

**8**  Don't know/Refused

**5a.** On how many days did you limit your activities because of pain, aching, or stiffness?   days

**V3LADAY**

**5b.** During the past 30 days, have you tried to avoid knee pain or reduce the amount of knee pain by avoiding, changing, or cutting back on any of your normal activities?

**1**  Yes


**0**  No

**8**  Don't know

**V3AVOIDT**

# MRI Eligibility

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



**6. Interviewer Note: Refer to Data from Prior Visits Report. Was participant eligible for MRI at prior visit(s)?**

Yes  No → Go to Page 5, Question #11 and mark "No."

The next few questions are about MRI eligibility.

**6a.** Since your last MRI scan at the MOST clinic on \_\_\_/\_\_\_/\_\_\_ (from Data from Prior Visits Report), have you had any surgery or anything implanted in your body?

Yes  No  Don't know/Refused

No → Go to Question #7.
 Don't know/Refused → Go to Question #6c.

**6b.** What type of surgery or implant was it?

\_\_\_\_\_

When was the surgery?

/   /    
 Month Day Year

**Interviewer Notes:**

- If the surgery was within the past 2 months, refer to list of MRI-safe surgeries/procedures that do not require a 2-month wait. If a 2-month wait is required, schedule the clinic visit 2 months after the surgery date.
- Fill out an Event Notification Form for Knee/Hip Replacement if participant reports a knee or hip replacement.

**6c.** The next few questions will be about specific implants. Please tell me whether any of the following was implanted in your body during surgery:

i. Electronic implant or device, such as a cochlear implant	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ii. Magnetically-activated dental implant or dentures, magnetic eye implant, or other magnetic device	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iii. Heart pacemaker	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iv. Implanted heart defibrillator	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
v. Internal electrodes or wires, such as pacemaker wires or bone growth/ bone fusion stimulator wires	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vi. Neurostimulation system, such as spinal cord stimulator or gastric electrical stimulation system	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vii. Surgically implanted insulin or drug pump	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
viii. Tissue expander with magnetic port, such as inflatable breast implant with magnetic port	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ix. Brain aneurysm surgery, brain aneurysm clip(s) or coil(s)	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused

**6d. Interviewer Note:**

Are any of the above items in Question #6c marked "Yes" or "Don't Know/Refused"?

Yes → Not eligible for MRI. Go to Page 5, Question #11 and mark "No."  No

MRI Eligibility

Visit	MOST ID #	Acrostic												
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<table border="1"> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>									<table border="1"> <tr> <td> </td><td> </td><td> </td><td> </td> </tr> </table>				



**6e. Please tell me whether any of the following was implanted in your body:**

i. Stent, filter, coil, or clips	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ii. Shunt (spinal or intraventricular)	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iii. Vascular access port or catheter, such as a central venous catheter or PICC line	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iv. Surgically implanted hearing device (not a regular hearing aid) or prosthesis in your ear	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
v. Eyelid spring, wire or weights	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vi. Penile implant or prosthesis ( <i>men only</i> )	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vii. Heart valve	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused

- 7.** Since your last visit to the MOST clinic on \_\_\_/\_\_\_, have you had an injury in which metal fragments entered your eye and you had to seek medical attention?    Yes    No    Don't know/Refused
- 8.** Since your last visit to the MOST clinic on \_\_\_/\_\_\_, have you had an injury in which metal fragments such as shrapnel, BB, or bullet entered your body?    Yes    No    Don't know/Refused

**9. Interviewer Note:**  
**Are any of the above items in Question #6e or Questions #7-8 marked "Yes" or "Don't Know/Refused"?**

Yes  
 ↓

No

**9a.** Do you have or would you be willing to ask your doctor for your medical records so that we could determine whether it would be safe for you to have an MRI scan?

Yes  
 ↓

No  
 ↓

**Interviewer Note: Ask participant to bring medical documentation with them to the clinic visit.**

Not eligible for MRI. Go to Page 5, Question #11 and mark "No."



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

MRI Eligibility

10. **Interviewer Note:** *Is there any other reason why this participant would not be eligible for an MRI? (e.g., participant has had both knees replaced)*

Yes  No

What is the reason?

Not eligible for MRI. Go to Question #11 and mark "No."

11. **Interviewer Note:** *Is the participant eligible for an MRI scan? (Refer to Questions #6, #9-9a, and #10.)*

Yes  No

Mark "CLINIC VISIT-WITH MRI" in Box A on page 8. Then go to Question #12.

Mark "CLINIC VISIT-NO MRI" in Box A on page 8. Then go to Page 6, Question #13.

12. Are you planning to have surgery in the next month?

Yes  No  Don't know/Refused

12a. What is the date of your scheduled surgery?

/   /    
 Month Day Year

What type of surgery will you have?

**Interviewer Note:** *Refer to list of surgeries/procedures that do not require a 2-month wait. If surgery is on that list, mark "No" for this question. If a 2-month wait is required, go to page 6, Question #13. Do not scan today's Telephone Interview forms. Re-contact 2 months after surgery to reassess eligibility.*

## Contact Information

Visit	MOST ID #	Acrostic											
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								<table border="1"><tr><td></td><td></td><td></td><td></td></tr></table>				



13. We would like to update all of your contact information this year. The address that we currently have listed for you is:

**(Interviewer Note: Please review the participant's contact information and confirm that the address you have for the participant is correct.)**

Is the address that we currently have correct?

Yes  No

**Interviewer Note: Please record the street address, city, state and zip code for the participant for your local records.**

14. The telephone number(s) that we currently have for you is (are):

**(Interviewer Note: Please review the participant's contact information and confirm that the telephone number(s) you have for the participant are correct.)**

Are the telephone number(s) that we currently have correct?

Yes  No

**Interviewer Note: Please record the telephone number(s) for the participant for your local records.**

15. Do you expect to move or have a different address in the next 6 months?

Yes  No  Don't know/Refused

**Interviewer Note: Please record the street address, city, state and zip code for the participant for your local records.**

Contact Information

Visit	MOST ID #	Acrostic												
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								<table border="1"><tr><td></td><td></td><td></td><td></td><td></td></tr></table>					



16. **Interviewer Note:** Has the participant identified their next of kin?

Yes

No

Go to Question #17

16a. **Interviewer Note:** Please review the participant's next of kin contact information from baseline.

You previously told us the name and address of your next of kin. Please tell me if the information that I have is still correct. Is the name and address of your next of kin correct?

Yes

No

Don't know

Refused

Go to Question #18

Go to Question #18

17. Please tell me the name, address, and telephone number of your next of kin. How is this person related to you?

**Interviewer Note:** Please record the name, street address, city, state, zip code, telephone number, and how the person is related to the participant.

18. **Interviewer Note:** Has the participant identified their two contacts?

Yes

No

Go to Question #19

18a. **Interviewer Note:** Please review the participant's information for their two contacts.

You previously told us the names and addresses of your two contacts. Please tell me if the information that I have is still correct. Are the names and addresses of your two contacts correct?

Yes

No

Don't know

Refused

Go to next page

Go to next page

19. Please tell me the name, address, and telephone number of your first contact. How is this person related to you?

Please tell me the name, address, and telephone number of your second contact. How is this person related to you?

**Interviewer Note:** For both contacts, please record the name, street address, city, state, zip code, telephone number, and how the person is related to the participant.



Visit	MOST ID #	Acrostic														
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<table border="1"> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>									<table border="1"> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>						



## Clinic Visit Eligibility

### BOX A

CLINIC VISIT - WITH MRI

"Thank you for your time and for answering our questions. We'd like to schedule you for a clinic visit. Before I schedule your appointment, do you have any questions?" **(Read script from operations manual for scheduling a clinic visit with MRI.)**

- Appointment scheduled      **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_  
 Call back for appointment      **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_

CLINIC VISIT - NO MRI

"Thank you for your time and for answering our questions. We'd like to schedule you for a clinic visit. Before I schedule your appointment, do you have any questions?" **(1. Read script from operations manual for scheduling a clinic visit with no MRI. 2. Determine if participant has had bilateral knee replacements. If so, read script from operations manual for scheduling clinic visit with no specimen collection.)**

- Appointment scheduled      **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_  
 Call back for appointment      **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_

NOT INTERESTED

"Your participation in this important study is appreciated. Can you tell me why you aren't interested in coming to the MOST clinic at this time? \_\_\_\_\_"

Thank you for your time and for answering our questions. Do you have any questions?"

**(Follow protocol for participants who are not interested in coming in for clinic visit. Ask participant if they want to think about possibly coming in to clinic at a later date. If they say "No," ask if they would mind staying on the phone for about 10 more minutes so you can ask them a few more questions. Administer Missed Clinic Visit Telephone Interview.)**

# MOST 60-MONTH FOLLOW-UP SELF-ADMINISTERED QUESTIONNAIRE HOME



Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> / <input style="width: 20px; height: 20px;" type="text"/> / <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

## Arthritis Diagnosis

1. Since we last contacted you, about 2 years ago, has your doctor told you that you have arthritis?

**V3ARTH**  Yes

No

Go to Page 2, Question #2.

What kind of arthritis did your doctor say it was? Did your doctor say you had...

*(Please answer "Yes," "No," or "Don't know" for all questions below.)*

- |  |  |                                       |               |                                      |                          |   |
|--|--|---------------------------------------|---------------|--------------------------------------|--------------------------|---|
| a. Rheumatoid arthritis?   | <input type="text" value="V3_RADXRX"/> | <input type="text" value="V3_RAMED"/> | <b>V3RA</b>   | <input checked="" type="radio"/> Yes | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| b. Osteoarthritis or degenerative arthritis in your <u>knee</u> ?            | <b>V3KNOA</b>                          |                                       |               | <input checked="" type="radio"/> Yes | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| c. Osteoarthritis or degenerative arthritis in your <u>hip</u> ?             | <b>V3HPOA</b>                          |                                       |               | <input type="radio"/> Yes            | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| d. Osteoarthritis or degenerative arthritis in your <u>hand or fingers</u> ? |  |                                       | <b>V3HFOA</b> | <input type="radio"/> Yes            | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| e. Osteoarthritis or degenerative arthritis in some <u>other joint</u> ?     |  |                                       | <b>V3OJOA</b> | <input type="radio"/> Yes            | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| f. Gout?   |  |                                       | <b>V3GOUT</b> | <input type="radio"/> Yes            | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
| g. Some other type of arthritis?   |  |                                       | <b>V3OTH</b>  | <input type="radio"/> Yes            | <input type="radio"/> No | <input checked="" type="radio"/> Don't know |
- (Please specify: **NOT COLLECTED** )*

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Health History and Medical Conditions

2. Since we last contacted you, about 2 years ago, have you had a heart attack?

**V3HRTAT**  1 Yes  0 No  8 Don't know

3. Since we last contacted you, about 2 years ago, have you had an operation to unclog or bypass the arteries in your heart?

**V3UNCLOG**  1 Yes  0 No  8 Don't know

4. Since we last contacted you, about 2 years ago, have you been treated for heart failure? (You may have been short of breath and the doctor may have told you that you had fluid in your lungs or that your heart was not pumping well.)

**V3HRTFA**  1 Yes  0 No  8 Don't know

5. Since we last contacted you, about 2 years ago, have you had an operation to unclog or bypass the arteries in your legs?

**V3BYPASS**  1 Yes  0 No  8 Don't know

6. Since we last contacted you, about 2 years ago, have you had a stroke, cerebrovascular accident, blood clot or bleeding in the brain, or transient ischemic attack (TIA)?

**V3STROKE**  1 Yes  0 No  8 Don't know

Go to Question #7.

a. Do you have difficulty moving an arm or leg as a result of the stroke or cerebrovascular accident?

**V3MOVE**  1 Yes  0 No  8 Don't know

7. Do you have asthma?

**V3ASTHMA**  1 Yes  0 No  8 Don't know

Go to Page 3, Question #8.

a. Do you take medicines for your asthma?

**V3ASTRX**  1 Yes  0 No  8 Don't know

Go to Page 3, Question #8.

b. When do you usually take the medicine? (**Please mark one.**)

**V3AWHEN**  1 Only with flare-ups of my asthma  
 2 Regularly, even when I'm not having a flare-up

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Health History and Medical Conditions

8. Do you have emphysema, chronic bronchitis, or chronic obstructive lung disease?

**V3COPD**    1  Yes                      0  No                      8  Don't know

↓    ↓    ↓

Go to Question #9.

**a.** Do you take medicines for your lung disease?

**V3LUNRX**    1  Yes                      0  No                      8  Don't know

↓    ↓    ↓

Go to Question #9.

**b.** When do you usually take the medicine? (*Please mark one.*)

**V3LWHEN**    1  Only with flare-ups of my emphysema, bronchitis or COPD  
 2  Regularly, even when I'm not having a flare-up

9. Do you have stomach ulcers, or peptic ulcer disease?

**V3ULCER**    1  Yes                      0  No                      8  Don't know

↓    ↓    ↓

Go to Question #10.

**a.** Has this condition been diagnosed by endoscopy (where a doctor looks into your stomach through a scope) or an upper GI or barium swallow study (where you swallow chalky dye and then x-rays are taken)?

**V3ULCDX**    1  Yes                      0  No                      8  Don't know

10. Do you have diabetes (high blood sugar)?

**V3DIABT**    1  Yes                      0  No                      8  Don't know

↓    ↓    ↓

Go to Page 4, Question #11.

**a.** How has your diabetes been treated?  
(*Please mark all that apply.*)

**V3DIET**    1  modifying my diet  
**V3DRX**    1  medications taken by mouth  
**V3INJ**    1  insulin injections  
**V3NONE**    1  not treated

**b.** Has the diabetes caused any of the following problems?  
(*Please mark all that apply.*)

**V3KID**    1  Problems with your kidneys  
**V3DEYE**    1  Problems with your eyes, treated by an ophthalmologist  
**V3DDK**    1  Has not caused problems

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Health History and Medical Conditions

11. Since we last contacted you, about 2 years ago, have you had serious problems with your kidneys?

**V3KIDNY**    1  Yes                      0  No                      8  Don't know

Go to Question #12.

a. Kidney problems: (**Please mark all that apply.**)

- V3POORF**    1  Poor kidney function (blood tests show high creatinine)  
**V3TRANS**    1  Have received a kidney transplantation  
**V3DIALY**    1  Have used hemodialysis or peritoneal dialysis  
**V3KOTR**    1  Other (**Please specify:** \_\_\_\_\_)  
**V3DK**        1  Don't know

**V3\_DX**

**V3MCOMOR**

**V3MCOMOR\_CUM**

12. Do you have any of the following conditions?

<b>V3ALZHE</b>	<b>a. Alzheimer's Disease, or another form of dementia?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
<b>V3LIVER</b>	<b>b. Cirrhosis, or serious liver damage?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
<b>V3LEUKE</b>	<b>c. Leukemia or polycythemia vera?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
<b>V3LYMPH</b>	<b>d. Lymphoma?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
<b>V3CANCER</b>	<b>e. Cancer, other than skin cancer, leukemia or lymphoma?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know <div style="text-align: center; margin-top: 5px;"> <span style="border: 1px solid black; padding: 2px;">Go to Question #12f.</span> </div>
<b>V3CANCERS</b>	<b>ei. Has the cancer spread, or metastasized to other parts of your body?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
<b>V3AIDS</b>	<b>f. AIDS?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 72-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Injuries, Fractures, Falls

13. Since we last contacted you, about 2 years ago, did a doctor tell you that you broke or fractured a bone?

**V3BONE**  Yes

No

Go to Question #14.

a. Which bones did a doctor say you had broken? (**Mark all that apply.**)

**V3FXHIP**  Hip

Hand/finger ~~V3FXHND~~

~~V3FXPLV~~  Pelvis

Elbow (lower humerus/upper radius or ulna) ~~V3FXELB~~

~~V3FXTHF~~  Thigh (femur--not hip)

Upper arm/shoulder (humerus) ~~V3FXUPA~~

~~V3FXKNE~~  Knee (patella/tibial plateau)

Collarbone (clavicle/scapula) ~~V3FXCLB~~

~~V3FXLWL~~  Lower leg (tibia/fibula)

Ribs/chest/sternum ~~V3FXRIB~~

~~V3FXANK~~  Ankle

Spine/back (vertebra) **V3SPINE**

~~V3FXFTT~~  Foot/toe

Neck (cervical vertebra) ~~V3FXNEK~~

~~V3FXTLB~~  Tailbone (coccyx/sacrum)

Skull/face/nose/jaw ~~V3FXSKU~~

~~V3FXWRT~~  Wrist/forearm (radius/ulna)

Don't know ~~V3FXDKN~~

~~V3FXOTH~~  Other (Please specify: \_\_\_\_\_)

**V3\_FXHIPSP**

14. Are you afraid of falling?

~~V3FALLF~~  Yes

No

Go to Page 6, Question #15.

a. Would you say that you are afraid of falling . . . ?

Very often

~~V3FALLFF~~

Often

Occasionally

Rarely


Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Balance Confidence

For each activity, please indicate how much confidence you have that you will NOT lose your balance or become unsteady when performing the activity. Use the scale below, where **0%** indicates you have **no confidence** that you can perform the activity without losing your balance or becoming unsteady, and **100%** indicates that you have **complete confidence** that you can perform the activity without losing your balance or becoming unsteady.

**Please fill in a bubble below for each of the activities. Mark only one bubble along the scale from 0 to 100%.**




16. How confident are you that you will NOT lose your balance or become unsteady when you are . . .	No confidence <span style="float: right;">Complete confidence</span>										
	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
a. Walking in the house?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Going up and down stairs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Bending down to pick up a slipper off the closet floor?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Stretching to take a small can off a shelf at eye level?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Getting up on your toes to reach an object over your head?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Getting up on a chair (or a stepladder) to get an object?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Sweeping the floor?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Going out of the house to get to a car parked in the driveway?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Balance Confidence

Please fill in a bubble below for each of the activities. Mark only one bubble along the scale from 0 to 100%.



How confident are you that you will NOT lose your balance or become unsteady when you are . . .	No confidence <span style="float: right;">Complete confidence</span>										
	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
i. Getting in and out of the car (regular car)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Crossing a parking lot to get to the shopping center?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Going up or down a slope (access ramp)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Walking through a shopping center crowded with people who are in a rush?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Getting jostled by people as you are walking through a shopping center?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Using an escalator while holding the railing?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Using an escalator without being able to hold the railing because your arms are full?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Walking on icy sidewalks?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Activities-specific Balance Confidence (ABC) Scale



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Dealing with Pain

Individuals who experience pain have developed a number of ways to cope or deal with their pain. Below are several things that people have reported saying to themselves or doing when they feel pain. For each, please indicate, using the scale below, how much you do that when you feel pain,

... where **0** indicates you never do that when you are feeling pain,  
 ... a **3** indicates you sometimes do that when you are feeling pain,  
 ... and a **6** indicates you always do that when you are feeling pain.

**For each activity, please mark one of the six bubbles along the scale from 0 to 6.**

### When I feel pain ...

<p><b>17. I think of things I enjoy doing.</b></p> <p><b>0</b>      <b>1</b>      <b>2</b>      <b>3</b>      <b>4</b>      <b>5</b>      <b>6</b></p> <p><input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/></p> <p>Never do that      Sometimes do that      Always do that</p>
<p><b>18. I pray for the pain to stop.</b></p> <p><b>0</b>      <b>1</b>      <b>2</b>      <b>3</b>      <b>4</b>      <b>5</b>      <b>6</b></p> <p><input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/></p> <p>Never do that      Sometimes do that      Always do that</p>
<p><b>19. I don't pay any attention to it.</b></p> <p><b>0</b>      <b>1</b>      <b>2</b>      <b>3</b>      <b>4</b>      <b>5</b>      <b>6</b></p> <p><input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/></p> <p>Never do that      Sometimes do that      Always do that</p>
<p><b>20. I feel it's terrible and that it's never going to get any better.</b></p> <p><b>0</b>      <b>1</b>      <b>2</b>      <b>3</b>      <b>4</b>      <b>5</b>      <b>6</b></p> <p><input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/>      <input type="radio"/></p> <p>Never do that      Sometimes do that      Always do that</p>



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Joint Pain, Aching, and Stiffness

21. On most days, do you have pain, aching, or stiffness in any joints?

**V3JPAIN**       1 Yes       0 No

Go to Page #12, Question #22.

Please fill in the bubbles in the pictures below to show which joints have had **pain, aching, or stiffness** on **most days** in **the past 30 days**. *(Please mark all that apply.)*



Foot joints are on next page (Page 11.)

YES = 1



V3\_WSPA  
V3\_WSPB  
V3\_WSPC

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>





## Joint Pain, Aching, and Stiffness

Please fill in the bubbles in the pictures below to show which joints have had **pain, aching, or stiffness** on **most days** in **the past 30 days**. (Please mark all that apply.)



YES = 1





Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Back Pain and Function

22. During the **past 30 days**, have you had any back pain?

**V3PAIN**  1 Yes  0 No

Go to Page 13, Question #23.


a. How often were you bothered by back pain in the **past 30 days**?  
(Mark **only one response**.)

**V3FREQ**  1 All of the time  2 Most of the time  3 Some of the time  4 Rarely  5 Never

b. When you have had back pain, how bad was it on average?

**V3SERV**  1 Mild  2 Moderate  3 Severe

c. In what part or parts of your back is the pain usually located?  
(Mark **all areas on the back that apply with an X**)



CLINIC  
USE ONLY

1 NK **V3NK**

1 UB **V3UB**

1 MB **V3MB**

1 LB **V3LB** **V3\_LBP**

1 BK **V3BK**

d. During the **past 30 days**, have you limited your activities because of back pain?

**V3BPLA**  1 Yes  0 No → Go to Page 13, Question #23.

di. How many days did you stay in bed because of your back?

**V3BDDAY**   days

dii. How many days did you limit your activities because of your back?  
(Do **not include days in bed**.)

**V3BPLAD**   days



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Arthritis Medications

23. During the past 30 days, have you taken **any** of the following medications for joint pain or arthritis?

**Aspirin**

**Advil, Motrin, Nuprin** (Ibuprofen)

**Aleve** or **Naprosyn** (Naproxen)

**Anaprox** or **Anaprox DS** (Naproxen)

**Celebrex** (Celecoxib)

**Tylenol** (Acetaminophen)

**Ansaid** (Flurbiprofen)

**Arthrotec** (Diclofenac / Misoprostol)

**Cataflam** (Diclofenac)

**Clinoril** (Sulindac)

**Daypro** (Oxaprozin)

**Dolobid** (Diflunisal)

**Feldene** (Piroxicam)

**Indocin** (Indomethacin)

**Indocin SR** (Indomethacin)

**Lodine** (Etodolac)

**Lodine XL** (Etodolac)

**Meclofenamate** (Meclofenamate)

**Mobic** (Meloxicam)

**Nalfon** (Fenoprofen)

**Naprelan** (Naproxen)

**Orudis** (Ketoprofen)

**Oruvail** (Ketoprofen)

**Ponstel** (Mefenamic acid)

**Relafen** (Nabumetone)

**Tolectin** (Tolmetin)

**Tolectin DS** (Tolmetin)

**Toradol** (Ketorolac)

**Voltaren** (Diclofenac)

**Voltaren-XR** (Diclofenac)

**V3ARTHRX**  1 Yes

0 No

Go to Page 14, Question #24.

a. How often do you take **any** of these medications for joint pain or arthritis?

**5**  More than once a day

**4**  Once a day

**3**  Three to five times a week

**2**  Once or twice a week

**1**  Less than once a week

**V3MOFT**



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Arthritis Medications

24. During the past 30 days, have you taken **any** of the following stronger medications for joint pain or arthritis?

- |                                      |   |
|--------------------------------------|---|
| <b>Actiq</b> (fentanyloral)          | <b>Oxydose</b> (oxycodone)                |
| <b>Avinza</b> (morphine)             | <b>Oxyfast</b> (oxycodone)                |
| <b>Buprenex</b> (buprenorphine)      | <b>OxylR</b> (oxycodone)                  |
| <b>Codeine</b>                       | <b>Percocet</b> (oxycodone + APAP)        |
| <b>Darvon</b> (propoxyphene)         | <b>Percodan</b> (oxycodone+terephthalate) |
| <b>Demerol</b> (meperidine)          | <b>Roxanol</b> (morphine)                 |
| <b>Dilaudid</b> (hydromorphone)      | <b>Roxicodone</b> (oxycodone)             |
| <b>Dolophine</b> (methadone)         | <b>Stadol</b> (butorphanol)               |
| <b>Duragesic patch</b> (fentanyl)    | <b>Stadol NS</b> (butorphanol nasal)      |
| <b>Kadian</b> (morphine)             | <b>Sufenta</b> (sufentanil)               |
| <b>Levo-Dromoran</b> (levorphanol)   | <b>Synalgos-DC</b>                        |
| <b>Lortab</b> (hydrocodone + APAP)   | <b>Talacen</b> (pentazocine + APAP)       |
| <b>Medhadose</b> (methadone)         | <b>Talwin</b> (pentazocine)               |
| <b>Meperidine</b> (nalbuphine)       | <b>Talwin-NX</b> (pentazocine + APAP)     |
| <b>MS Contin</b> (morphine sulphate) | <b>Tylenol w/codeine</b>                  |
| <b>MSIR</b> (morphine)               | <b>Tylox</b> (oxycodone + APAP)           |
| <b>Nubain</b> (nalbuphine)           | <b>Ultiva</b> (remifentanil)              |
| <b>Numorphan</b> (oxymorphone)       | <b>Ultram</b> (tramadol hydrochloride)    |
| <b>Oramorph SR</b> (morphine)        | <b>Vicodin</b> (hydrocodone + APAP)       |
| <b>OxyContin</b> (oxycodone)         |   |

**V3SMED**  1 Yes

0 No

Go to Page 15, Question #25.

**a.** How often do you take **any** of these medications for joint pain or arthritis?

**V3SMOFT**  5 More than once a day

4 Once a day

3 Three to five times a week

2 Once or twice a week

1 Less than once a week

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Health Survey

This survey asks for your views about your health.

Answer every question by selecting the answer as indicated. If you are unsure about how to answer a question, please give the ONE best answer you can.

25. In general, would you say your health is:

- 1 Excellent  
**V3SF1**  2 Very good  
 3 Good  
 4 Fair  
 5 Poor

During the past 30 days, have you had any of the following problems with your work or other regular daily activities as a result of your physical health?

26. <u>Accomplished less</u> than you would like	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<b>V3SF4</b>
27. Were limited in the <u>kind</u> of work or other activities	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<b>V3SF5</b>

During the past 30 days, have you had any of the following problems with your work or other regular activities as a result of any emotional problems (such as feeling depressed or anxious)?

28. <u>Accomplished less</u> than you would like	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<b>V3SF6</b>
29. Didn't do work or other activities as <u>carefully</u> as usual	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<b>V3SF7</b>

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Health Survey

30. During the past 30 days, how much did pain interfere with your normal work (including both work outside the home and housework)? *(Please choose ONE answer.)*

- V3SF8**
- 0 Not at all  
 1 A little bit  
 2 Moderately  
 3 Quite a bit  
 4 Extremely

These questions are about how you feel and how things have been with you during the past 30 days. For each question, please give the one answer that comes closest to the way you have been feeling.

How much of the time during the past 30 days . . .

	All of the time	Most of the time	A good bit of the time	Some of the time	A little bit of the time	None of the time
31. Have you felt calm and peaceful? <b>V3SF9</b>	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/>	0 <input type="radio"/>
32. Did you have a lot of energy? <b>V3SF10</b>	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/>	0 <input type="radio"/>
33. Have you felt downhearted and blue? <b>V3SF11</b>	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/>	0 <input type="radio"/>

34. During the past 30 days, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)? *(Please choose ONE answer.)*

- V3SF12**
- All of the time    Most of the time    Some of the time    A little of the time    None of the time  
 4     3     2     1     0

**V3SF12MM**

**V3SF12MP**



# Health Survey

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



35. The following questions are about activities you might do during a typical day. Does **your health now limit** you in these activities? If so, how much?  
 (Fill in the circle on each line.)

		Yes, limited a lot	Yes, limited a little	No, not limited at all
a. <u>Vigorous activities</u> , such as running, lifting heavy objects, participating in strenuous sports?	<del>V3PF10A</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. <u>Moderate activities</u> , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf?	V3SF2	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
c. Lifting or carrying groceries?	<del>V3PF10C</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Climbing <u>several</u> flights of stairs?	V3SF3	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
e. Climbing <u>one</u> flight of stairs?	<del>V3PF10E</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Bending, kneeling, or stooping?	<del>V3PF10F</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Walking <u>more than a mile</u> ?	<del>V3PF10G</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Walking <u>several hundred yards</u> ?	<del>V3PF10H</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Walking <u>one hundred yards</u> ?	<del>V3PF10I</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Bathing or dressing yourself?	<del>V3PF10J</del>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

V3PF10



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Health Survey

36. For each of the following statements, think about your feelings during the **past 7 days**. Mark the response that best describes your feelings:

Rarely or None of the time; Some of the time; Much of the time; Most or All of the time.

		Rarely or None of the time (<1 day)	Some of the time (1-2 days)	Much of the time (3-4 days)	Most or All of the time
<b>V3CESDA</b>	a. I was bothered by things that usually don't bother me.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDB</b>	b. I did not feel like eating: my appetite was poor.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDC</b>	c. I felt that I could not shake off the blues even with help from my family and friends.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDD</b>	d. I felt that I was just as good as other people.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDE</b>	e. I had trouble keeping my mind on what I was doing.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDF</b>	f. I was depressed.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDG</b>	g. I felt that everything I did was an effort.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDH</b>	h. I felt hopeful about the future.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDI</b>	i. I thought my life had been a failure.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>
<b>V3CESDJ</b>	j. I felt fearful.	<b>1</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>4</b> <input type="radio"/>



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Health Survey

For each of the following statements, think about your feelings during the **past 7 days**. Mark the response that best describes your feelings:

Rarely or None of the time; Some of the time; Much of the time; Most or All of the time.

	Rarely or None of the time (<1 day)	Some of the time (1-2 days)	Much of the time (3-4 days)	Most or All of the time
k. My sleep was restless. <b>V3CESDK</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
l. I was happy. <b>V3CESDL</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
m. It seemed that I talked less than usual. <b>V3CESDM</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
n. I felt lonely. <b>V3CESDN</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
o. People were unfriendly. <b>V3CESDO</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
p. I enjoyed life. <b>V3CESDP</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
q. I had crying spells. <b>V3CESDQ</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
r. I felt sad. <b>V3CESDR</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
s. I felt that people disliked me. <b>V3CESDS</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
t. I could not get going. <b>V3CESDT</b>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

**V3CES\_D**

**V3\_DEP**

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Sleep and Fatigue

37. During the **past 7 days**, how would you rate your sleep quality overall?

- Very good
- Fairly good
- Fairly bad
- Very bad

38. Fatigue is a feeling of being worn out, pooped, sluggish, run down, tired, or lacking energy. During the **past 7 days**, what number between 0 and 10 best describes your usual level of fatigue?

A zero (0) would mean 'no fatigue' and ten (10) would mean 'fatigue as bad as it can be.'

0	1	2	3	4	5	6	7	8	9	10
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>No fatigue</b>					<b>Fatigue as bad as it can be</b>					

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Everyday Things

This questionnaire asks about everyday things that you do at this time in your life. **(For example, you might feel limited because of your health, or because it takes a lot of mental and physical energy. Please keep in mind that you can also feel limited by factors outside of yourself. Your environment could restrict you from doing things; for instance, transportation issues, accessibility, and social or economic circumstances could limit you from doing things you would like to do. Think of all these factors when you answer this section.)**

Answer every question by selecting the answer as indicated. If you are unsure about how to answer, please give the best ONE answer you can.

To what extent do you feel limited in...?	Not at all	A little	Somewhat	A lot	Completely
39. Visiting friends and family in their homes.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI1
40. Providing care or assistance to others. This may include providing personal care, transportation, and running errands for family members or friends.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI2
41. Taking care of the inside of your home. This includes managing and taking responsibility for homemaking, laundry, housecleaning and minor household repairs.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI3
42. Working at a volunteer job outside your home.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI4
43. Taking part in active recreation. This may include bowling, golf, tennis, hiking, jogging, or swimming.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI5
44. Traveling out of town for at least an overnight stay.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI6
45. Taking part in a regular fitness program. This may include walking for exercise, stationary biking, weight lifting, or exercise classes.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI7
46. Going out with others to public places such as restaurants or movies.	5 <input type="radio"/>	4 <input type="radio"/>	3 <input type="radio"/>	2 <input type="radio"/>	1 <input type="radio"/> V3FDI8



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Everyday Things

To what extent do you feel limited in...?	Not at all	A little	Somewhat	A lot	Completely
<b>47.</b> Taking care of your own personal care needs. This includes bathing, dressing, and toileting. <span style="color: blue; font-weight: bold;">V3FDI9</span>	<b>5</b> <input type="radio"/>	<b>4</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>1</b> <input type="radio"/>
<b>48.</b> Taking part in organized social activities. This may include clubs, card playing, senior center events, community or religious groups. <span style="color: blue; font-weight: bold;">V3FDI10</span>	<b>5</b> <input type="radio"/>	<b>4</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>1</b> <input type="radio"/>
<b>49.</b> Taking care of local errands. This may include managing and taking responsibility for shopping for food and personal items, and going to the bank, library, or dry cleaner. <span style="color: blue; font-weight: bold;">V3FDI11</span>	<b>5</b> <input type="radio"/>	<b>4</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>1</b> <input type="radio"/>
<b>50.</b> Preparing meals for yourself. This includes planning, cooking, serving, and cleaning up. <span style="color: blue; font-weight: bold;">V3FDI12</span>	<b>5</b> <input type="radio"/>	<b>4</b> <input type="radio"/>	<b>3</b> <input type="radio"/>	<b>2</b> <input type="radio"/>	<b>1</b> <input type="radio"/>

**V3LLDIIR**

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Helpful Aids and Devices

51. Do you usually use any of the following AIDS OR DEVICES for walking indoors around your home?

(Please mark all that apply.)

- V3AICANE Cane  
 V3AICRUT Crutches  
 V3AIWLK Walker  
 V3AIWHL Wheelchair  
 V3AIOTH Other (Please specify: \_\_\_\_\_)
- I do not use any of these devices  
**V3AINONE**
- YES = 1

52. Do you usually use any of the following AIDS OR DEVICES for walking outdoors or when you go out shopping?

(Please mark all that apply.)

- V3AOCANE Cane  
 V3AOCRUT Crutches  
 V3AOWLK Walker  
 V3AOWHL Wheelchair  
 V3Aooth Other (Please specify: \_\_\_\_\_)
- I do not use any of these devices  
**V3AONONE**
- YES = 1

53. Do you usually use any of the following AIDS OR DEVICES for going up or down stairs?

(Please mark all that apply.)

- V3ASCANE Cane  
 V3ASLIFT Stair lift  
 V3ASELEV Elevator  
 V3ASOTH Other (Please specify: \_\_\_\_\_)
- I do not use any of these devices  
**V3ASNONE**
- YES = 1

54. Do you usually use any of the following AIDS OR DEVICES for getting up from a chair or bed, or using the toilet?

(Please mark all that apply.)

- V3AUCHR Special built-up or lift chair  
 V3AUCANE Cane  
 V3AUWLK Walker  
 V3AUCRUT Crutches
- Built up or raised toilet seat  
 Grab bars  
 Other (Please specify: \_\_\_\_\_)
- I do not use any of these devices  
**V3AUNONE**  
**V3AUTLT**  
**V3AUGRAB**  
**V3AUOTH**
- YES = 1

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Current Employment

55. Do you currently do any amount of work for pay?  
*(Also mark "Yes" if you are self-employed or you are on a temporary leave from work and expect to return to work within 6 months.)*

**V3PAY**    **1**  Yes                      **0**  No

Go to Question #56.

- a. Do you do at least 15 hours of unpaid work per week for a business or farm owned by a member of your family?  
*(Work that you do to care for family members or as a volunteer does not apply.)*

**V3NOPAY**    **1**  Yes                      **0**  No

Go to Question #56.

- b. Are you not working due at least in part to your health?

**V3HLTH**    **1**  Yes                      **0**  No

Go to Page 25, Question #58.

56. When you worked over the past year, on average how many hours a week did you usually work? *(Include any overtime hours you usually worked.)*

**V3HRSWK**      Number of hours worked per week

57. How many half or full workdays did you miss in the past 3 months because of knee pain, aching or stiffness? *(Please write in the number of days; if none, put 0.)*

**V3MIS**      Number of days missed in the past 3 months



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Household

---

58. How difficult is it for you to meet monthly payments on your [family's] bills?

V3BILL

- Not at all difficult
- Not very difficult
- Somewhat difficult
- Very difficult
- Unable

59. Do you live by yourself or do you live with a spouse, family member(s), or roommate(s)?

V3ALONE

<sup>1</sup>  Live alone

<sup>2</sup>

Live with my spouse, family member(s), or roommate(s)

a. Not counting yourself, how many people live with you?

V3HSHOLD   Number of other people in household

b. How many of these people are under the age of 18?

V3LIV18   Number of people under the age of 18



### **Scoring for WOMAC<sup>®</sup> Likert 3.1**

MOST uses a modified version of the WOMAC<sup>®</sup> Likert 3.1 instrument. WOMAC<sup>®</sup> is a registered trademark (CDN No. TMA 545,986), Copyright 1996 Nicholas Bellamy, All Rights Reserved. This copyrighted instrument may not be displayed. Therefore page 1, the bottom of page 2, the top and bottom of page 3, and all of pages 4, 5, 7, and 8 of the MOST Follow-up Self-Administered Questionnaire – Clinic are not being displayed.

Please go to: <http://www.womac.org> for more information about the WOMAC<sup>®</sup> Likert 3.1.

### **WOMAC<sup>®</sup> subscales**

There are three WOMAC<sup>®</sup> subscales: pain, stiffness and disability. The time period covered by the subscales is the “past 30 days.” Subscale scores are the sum of individual item scores for all items in the subscale.

#### **Knee pain**

The individual items in the pain subscale are:

<u>Activity</u>	<u>Variable (right knee)</u>	<u>Variable (left knee)</u>
Walking	V3Q1KR	V3Q1KL
Up stairs	V3UPR	V3UPL
Down stairs	V3DOWNR	V3DOWNL
Stairs (calculated)	V3Q2KR	V3Q2KL
In bed	V3Q3KR	V3Q3KL
Sit or lie down	V3Q4KR	V3Q4KL
Standing	V3Q5KR	V3Q5KL

Each knee pain item is scored on a 5-point scale:

- 0 = None
- 1 = Mild
- 2 = Moderate
- 3 = Severe
- 4 = Extreme
- 5 = Don't do\*
- .M = Missing

\*The following variables have the 5 (don't do) scoring option: V3UPR, V3UPL, V3DOWNR, and V3DOWNL. “Don't do” is set to missing.

The pain subscale scores are calculated for the right and left knee separately. The pain subscale possible score range is 0-20.

<u>Score</u>	<u>Variable (right knee)</u>	<u>Variable (left knee)</u>
Pain subscale scores	V3WOPNKR	V3WOPNKL

(Note: page 1, the bottom of page 2, the top and bottom of page 3, and all of pages 4, 5, 7, and 8 of the MOST Follow-up Self-Administered Questionnaire – Clinic are not being displayed)



### **Knee stiffness**

The individual items in the stiffness subscale are:

<u>Activity</u>	<u>Variable (right knee)</u>	<u>Variable (left knee)</u>
In morning	V3Q6KR	V3Q6KL
Later in day	V3Q7KR	V3Q7KL

Each knee stiffness item is scored with the same scale used for knee pain, except the “5” scoring option (see previous page) is not available.

The stiffness subscale scores are calculated for the right and left knee separately. The stiffness subscale possible score range is 0-8.

<u>Score</u>	<u>Variable (right knee)</u>	<u>Variable (left knee)</u>
Stiffness subscale scores	V3WOSTKR	V3WOSTKL

### **Disability**

The individual items in the disability subscale are:

<u>Activity</u>	<u>Variable (either knee)</u>
Down stairs	V3Q8K
Up stairs	V3Q9K
Stand from sitting	V3Q10K
Standing	V3Q11K
Bending	V3Q12K
Walking	V3Q13K
In car/out of car	V3Q14K
Shopping	V3Q15K
Socks on	V3Q16K
Get out of bed	V3Q17K
Socks off	V3Q18K
Lying down	V3Q19K
Bathing	V3Q20K
Sitting	V3Q21K
On/off toilet	V3Q22K
Heavy chores	V3Q23K
Light chores	V2Q24K

Each disability item is scored for difficulty with the same scale used for pain and stiffness (see previous page).

\*The following variables have the 5 (don't do) scoring option: V3Q8K, V3Q9K, V3Q12K, V3Q15K, V3Q23K, and V3Q24K. “Don't do” is set to missing.

The disability subscale possible score range is 0-68.

<u>Score</u>	<u>Variable (either knee)</u>
Disability subscale scores	V3WOPASK

(Note: the top of page 2, bottom of page 4, and complete pages 3, 5, 6, 8, and 9 of the MOST Follow-up Self-Administered Questionnaire – Clinic are not being displayed)



---

### **Total scores**

The total scores are the sum of the pain, stiffness and disability subscale scores for the right and left knee, respectively. The possible score range is 0-96.

<u>Score</u>	<u>Variable (right knee)</u>	<u>Variable (left knee)</u>
Total scores	V3WOTOTR	V3WOTOTL

---

### **Score calculations**

An individual response of:

5 = Don't do  
.M = Missing

For any item is treated as missing data.

Modified WOMAC Osteoarthritis Index Likert Version 3.1 (1996). Subscales are for knee pain and stiffness, hip pain, physical function, and degree of difficulty (when physically active). In addition to asking about degree of physical difficulty going up stairs and going down stairs, in MOST we also ask separate knee pain questions regarding going up stairs and going down stairs. The stair climbing calculation was based on the highest response value of the two questions. If there is one missing answer and one non-missing answer for the stair climbing questions, the non-missing answer is used. Subsets of the questions have a "don't do" response option. If the participant chose the "don't do" response, the score for that question was set to missing when computing WOMAC scores. Participant responses are all based on the past 30 days.

In MOST, WOMAC pain questions are also asked about the hips (five questions). In addition, three of the physical function questions of interest (pain experienced while putting on socks, getting in or out of a chair, and getting in or out of a car) are also asked about the hips. The modified hip pain subscale was calculated based on these 8 questions.

The WOMAC knee calculated variable and subscales were calculated based on code from Jingbo Niu at Boston University (Framingham Study).

The method used to handle missing values (ie., participant fails to/refuses to complete all questions) is consistent with the suggestion from the WOMAC User's Guide (Nicholas Bellamy) for how missings should be treated: "If  $\geq$  two pain, both stiffness, or  $\geq$  four physical function items are omitted, the patient's response is regarded as invalid and the deficient subscale(s) should not be used in analysis. Where one pain, one stiffness, or 1-3 physical function items are missing, we suggest substituting the average value for the subscale in lieu of the missing item value(s). This method is similar to that employed for other indices (e.g., SF-36)."


(Note: the top of page 2, bottom of page 4, and complete pages 3, 5, 6, 8, and 9 of the MOST Follow-up Self-Administered Questionnaire – Clinic are not being displayed)

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Knee Symptoms

2. How bad has the pain been in your right knee, on average, in the past 30 days? Please mark an "X" on the line below: ("0" means "no pain" and "100" means "pain as bad as it could be")



Clinic Use Only
<input type="text"/> <input type="text"/> <input type="text"/>

**V3VASKR**

**Note: WOMAC© was removed from this page. See "Scoring for WOMAC©" documentation on page [x].**


# Knee Symptoms

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



**Note: WOMAC© was removed from this page. See "Scoring for WOMAC©" documentation on page [x].**

6. How bad has the pain been in your left knee, on average, in the past 30 days? Please mark an "X" on the line below. ("0" means "no pain" and "100" means "pain as bad as it could be")



V3VASKL

Clinic Use Only
<input type="text"/> <input type="text"/> <input type="text"/>

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Physical Difficulty

The next questions are about the amount of difficulty you may have when you are **more physically active**. For each of the following activities, please indicate the **degree of difficulty** you have experienced **during the past 30 days** due to pain and discomfort **in either knee**.

10. QUESTION: What degree of difficulty do you have due to pain, discomfort or arthritis in your knee(s)?							
V3SP1K	a. <b>Squatting</b>	0 <input type="radio"/> none	1 <input type="radio"/> mild	2 <input type="radio"/> moderate	3 <input type="radio"/> severe	4 <input type="radio"/> extreme	5 <input type="radio"/> don't do
V3SP2K	b. <b>Running/jogging</b>	0 <input type="radio"/> none	1 <input type="radio"/> mild	2 <input type="radio"/> moderate	3 <input type="radio"/> severe	4 <input type="radio"/> extreme	5 <input type="radio"/> don't do
V3SP3K	c. <b>Jumping</b>	0 <input type="radio"/> none	1 <input type="radio"/> mild	2 <input type="radio"/> moderate	3 <input type="radio"/> severe	4 <input type="radio"/> extreme	5 <input type="radio"/> don't do
V3SP4K	d. <b>Twisting/pivoting on your knees</b>	0 <input type="radio"/> none	1 <input type="radio"/> mild	2 <input type="radio"/> moderate	3 <input type="radio"/> severe	4 <input type="radio"/> extreme	5 <input type="radio"/> don't do
V3SP5K	e. <b>Kneeling</b>	0 <input type="radio"/> none	1 <input type="radio"/> mild	2 <input type="radio"/> moderate	3 <input type="radio"/> severe	4 <input type="radio"/> extreme	5 <input type="radio"/> don't do

V3KOOSSP

# MOST 60-MONTH FOLLOW-UP CLINIC VISIT PROCEDURE CHECKLIST

Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>	<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>	<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>	<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>



V3\_DATEDIFF

Measurement	Page #	Completed	Partially completed	Participant refused	Not done/ Not applicable
1. Was Self-administered Home Questionnaire completed/checked?	V3HOMEC	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Was Self-administered Clinic Questionnaire completed/checked?	V3CLIN	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Was Clinic Interview administered?	V3INTV	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Medication Inventory	V3MIF 29	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Cognitive Screen	V3COGNC 30	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Blood Pressure	V3BP 32	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Standing Height	V3STANDC 33	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Weight	V3WGHTC 33	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. 20-meter Walk	V320M 34	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10. Chair Stands	V3CHAIRC 36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11. Isokinetic Strength / sEMG	V3ISO 39	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12. Rapid Step Ups	V3RAPDC 45	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13. Maximal Step Length	V3MAXSLC 47	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14. Gaitrite	V3GAITC 49	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15. Plantar Pressure	V3PRESC 52	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
16. VPT & Pain Sensitivity Exclusions	V3VPTXG 55	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17. Peripheral Neuropathy	V3PNEUC 57	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
18. Vibration Perception Threshold	V3VIBRC 58	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
19. Pain Sensitivity	V3PSENG 60	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
20. Knee X-ray	V3KXRAY 66	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
21. OrthOne 1.0 T Knee MRI	V3MRICL 67	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
22. Initial Pain & Urine collection	V3UR 72	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
23. Phlebotomy	V3SC 73	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24. Laboratory processing	V3LAB 74	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25. Accelerometry	V3ACCELG 75	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



V3KSSID

## Knee Symptoms

I would like to ask you several questions about pain, aching, or stiffness in or around your knees.

### Right Knee

First I'll ask you about your right knee.

1. During the past 12 months, have you had any pain, aching, or stiffness in your right knee?

V3KPN12R     1 Yes                       0 No                       8 Don't know/Refused

1a. During the past 12 months, have you had pain, aching, or stiffness in your right knee on most days for at least one month?

V3MNTHR     1 Yes                       0 No                       8 Don't know

Go to Page 6, Question #12.

2. During the past 30 days, have you had any pain, aching, or stiffness in your right knee?

V3PN30R     1 Yes                       0 No                       8 Don't know/Refused

2a. During the past 30 days, have you had pain, aching, or stiffness in your right knee on most days?

V3KPN30R     1 Yes                       0 No                       8 Don't know

Go to Page 5, Question #11.

V3R\_FKP

V3R\_SX2

V3\_FKPSX

# Knee Pain



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Constant

People have told us that they experience different kinds of pain (including aching or discomfort) in their knee. To get a better sense of the different types of knee pain you may experience, we would like to ask you about any "constant pain" (pain you have all the time) separately from any pain that you may experience less often, that is, "pain that comes and goes". The following questions will ask you about the pain that you have experienced in your knee in the past 7 days.

3. In the past 7 days, have you had any pain in or around your right knee?

Yes

No

Don't know/Refused

Go to Page 5, Question #11.

4. In the past 7 days, have you had constant pain (pain that you have all the time) in or around your right knee?

Yes

No

Don't know/Refused

Go to Page 4, Question #7.

For each of the following questions, please select the response that best describes, on average, your constant pain in your right knee in the past 7 days.

5. In the past 7 days, how intense has your constant pain in your right knee been?

**(Examiner Note: REQUIRED. Show Card #1.)**

Not at all

Mildly

Moderately

Severely

Extremely

Don't know

Refused

6. In the past 7 days, how much has your constant pain in your right knee affected your overall quality of life?

**(Examiner Note: REQUIRED. Show Card #1.)**

Not at all

Mildly

Moderately

Severely

Extremely

Don't know

Refused

# Knee Pain



## Intermittent

Visit	MOST ID #	Acrostic														
<input type="radio"/> 60-month <input type="radio"/> 84-month	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>									<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>						

7. In the past 7 days, have you had intermittent pain (pain that comes and goes) in or around your right knee?  
 Yes                       No                       Don't know/Refused

Go to Page 5, Question #11.

For each of the following questions, please select the response that best describes your pain that comes and goes in your right knee on average, in the past 7 days.

8. In the past 7 days, how intense has your most severe pain that comes and goes in your right knee been?

**(Examiner Note: REQUIRED. Show Card #2.)**

- Not at all
- Mildly
- Moderately
- Severely
- Extremely
- Don't know
- Refused

9. In the past 7 days, how frequently has this pain that comes and goes in your right knee occurred?

**(Examiner Note: REQUIRED. Show Card #3.)**

- Never
- Rarely
- Sometimes
- Often
- Very often
- Don't know
- Refused

10. In the past 7 days, how much has your pain that comes and goes in your right knee affected your overall quality of life?

**(Examiner Note: REQUIRED. Show Card #4.)**

- Not at all
- Mildly
- Moderately
- Severely
- Extremely
- Don't know
- Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Right Knee Pain

11. When you have right knee pain, where does it usually hurt?  
*(Examiner Note: Have participant mark an x(s) where their right knee hurts. Mark all areas that apply.)*

**RIGHT KNEE**

**FRONT VIEW**

outside of knee

inside of knee

**SIDE VIEW  
(outside of leg)**

back of knee

side of calf

front of leg

**Examiner:**  
Mark all areas that apply.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Yes  
 Don't know  
 Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

# Knee Symptoms

## Left Knee

Now I'll ask you specifically about your left knee.

12. During the past 12 months, have you had any pain, aching, or stiffness in your left knee?

**V3KPN12L**     Yes     No     Don't know/Refused

12a. During the past 12 months, have you had pain, aching, or stiffness in your left knee on most days for at least one month?

**V3MNTHL**     Yes     No     Don't know

Go to Page 10, Question #23.

13. During the past 30 days, have you had any pain, aching, or stiffness in your left knee?

**V3PN30L**     Yes     No     Don't know/Refused

Go to Page 9, Question #22.

13a. During the past 30 days, have you had pain, aching, or stiffness in your left knee on most days?

**V3KPN30L**     Yes     No     Don't know

**V3L\_FKP**    ~~V3L\_SX2~~  
**V3\_FKPSX**

# Knee Pain



Visit	MOST ID #	Acrostic														
<input type="radio"/> 60-month <input type="radio"/> 84-month	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>									<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>						

## Constant

Again, I'm going to ask you about any "constant pain" (pain you have all the time) separately from any pain that you may experience less often, that is, "pain that comes and goes". The following questions will ask you about the pain that you have experienced in your knee in the past 7 days.

14. In the past 7 days, have you had any pain in or around your left knee?

Yes

No

Don't know/Refused

Go to Page 9, Question #22.

15. In the past 7 days, have you had constant pain (pain that you have all the time) in or around your left knee?

Yes

No

Don't know/Refused

Go to Page 8, Question #18.

For each of the following questions, please select the response that best describes, on average, your constant pain in your left knee in the past 7 days.

16. In the past 7 days, how intense has your constant pain in your left knee been?

**(Examiner Note: REQUIRED. Show Card #5.)**

Not at all

Mildly

Moderately

Severely

Extremely

Don't know

Refused

17. In the past 7 days, how much has your constant pain in your left knee affected your overall quality of life?

**(Examiner Note: REQUIRED. Show Card #5.)**

Not at all

Mildly

Moderately

Severely

Extremely

Don't know

Refused

# Knee Pain



## Intermittent

Visit	MOST ID #	Acrostic														
<input type="radio"/> 60-month <input type="radio"/> 84-month	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>									<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>						

18. In the past 7 days, have you had intermittent pain (pain that comes and goes) in or around your left knee?  
 Yes                       No                       Don't know/Refused

Go to Page 9, Question #22.

For each of the following questions, please select the response that best describes your pain that comes and goes in your left knee on average, in the past 7 days.

19. In the past 7 days, how intense has your most severe pain that comes and goes in your left knee been?  
**(Examiner Note: REQUIRED. Show Card #6.)**

- Not at all
- Mildly
- Moderately
- Severely
- Extremely
- Don't know
- Refused

20. In the past 7 days, how frequently has this pain that comes and goes in your left knee occurred?  
**(Examiner Note: REQUIRED. Show Card #7.)**

- Never
- Rarely
- Sometimes
- Often
- Very often
- Don't know
- Refused

21. In the past 7 days, how much has your pain that comes and goes in your left knee affected your overall quality of life?  
**(Examiner Note: REQUIRED. Show Card #8.)**

- Not at all
- Mildly
- Moderately
- Severely
- Extremely
- Don't know
- Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Left Knee Pain

22. When you have left knee pain, where does it usually hurt?  
 (Examiner Note: Have participant mark an x(s) where their left knee hurts. Mark all areas that apply.)

**LEFT KNEE**

**Examiner:**  
Mark all areas that apply.

1

2

3

4

5

6

7

8

Yes

Don't know

Refused

**SIDE VIEW**  
(outside of leg)

**FRONT VIEW**





Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Knee Symptoms

### Both Knees

Now I'll ask you about both knees.

- 23.** During the past 30 days, have you limited your activities because of pain, aching, or stiffness in either knee?
- Yes **V3KNLA**
 No
  Don't know/Refused

**23a.** On how many days did you limit your activities because of pain, aching, or stiffness?

days

**V3KNLAD**

**23b.** During the past 30 days, have you tried to avoid knee pain or reduce the amount of knee pain by avoiding, changing, or cutting back on any of your normal activities?

Yes **V3AVOID**
 No
  Don't know

## Knee Buckling

For the following questions, we are interested in knee buckling or your knee "giving way." Sometimes you may feel as if your knee is going to buckle or give way but it doesn't actually do so. That does not count.

- 24.** In the past 12 months, has either of your knees buckled or given way at least once?
- Yes **V3KB12M**
 No
  Don't know/Refused

Go to Page 12, Question #26.

**24a.** Which knee buckled or gave way at least once?

- V3KB12**  Right knee  Left knee  Both knees  Don't know which knee

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Knee Buckling

25. In the past 3 months, has either of your knees buckled or given way at least once?

Yes

No

Don't know/Refused

Go to Page 12, Question #26.

25a. Which knee buckled or gave way at least once?

Right knee    Left knee    Both knees    Don't know which knee

25b. Counting all times and both knees, how many times in the past 3 months have your knees buckled? If you are unsure, make your best guess.

**(Examiner Note: OPTIONAL. Show Card #9.)**

- 1 time
- 2 to 5 times
- 6 to 10 times
- 11 to 24 times
- More than 24 times
- Don't know/Refused

25c. As a result of knee buckling or giving way, did you fall and land on the floor or ground?

Yes                       No                       Don't know

25d. In general, what were you doing when your knee(s) buckled?

**(Examiner Note: Please mark all that apply.)**

- Walking
- Going up or down stairs
- Twisting or turning
- Other **(Please specify: \_\_\_\_\_)**
- Don't know



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Knee Buckling

**26.** In the past 3 months, has either knee felt like it was shifting, slipping, or going to give way but didn't actually do so?

Yes

No

Don't know/Refused

Go to Question #27.

**26a.** Which knees felt like they were shifting, slipping, or going to give way but didn't?

Right knee    Left knee    Both knees    Don't know which knee

**26b.** Counting all times and both knees, how many times did your knee feel like it was shifting, slipping, or going to give way? If you are unsure, make your best guess.

- 1 time
- 2 to 5 times
- 6 to 10 times
- 11 to 24 times
- More than 24 times
- Don't know

**27.** Because of concern about buckling or "giving way" in your knees, have you changed or limited your usual activities in any way?

Yes

No

Don't know/Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Knee Injury

---

The next two questions are about knee injuries.

### Right Knee

28. Since we last contacted you, about 2 years ago, have you injured your right knee badly enough to limit your ability to walk for at least two days?  
*(Examiner Note: Refer to Data from Prior Visits Report for month/year of last clinic visit or missed visit telephone interview.)*

V3LAR

1 Yes

0 No

8 Don't know/Refused

---

### Left Knee

29. Since we last contacted you, about 2 years ago, have you injured your left knee badly enough to limit your ability to walk for at least two days?

V3LAL

1 Yes

0 No

8 Don't know/Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Knee Surgery

The next few questions are about knee surgery.

30. Since we last contacted you, about 2 years ago, did you have any surgery in your right knee?

1  Yes

0  No

8  Don't know/Refused

V3SURGR

Go to Page 15, Question #32.

31. Since we last contacted you, about 2 years ago, did you have the following types of surgery in your right knee:

a. Arthroscopy (where they put a scope) in your right knee?

V3ARTR

1  Yes

0  No

8  Don't know

b. Meniscectomy (where they repaired or cut away a torn meniscus or cartilage) in your right knee?

V3MENR

1  Yes

0  No

8  Don't know

c. Ligament repair in your right knee?

V3LIGR

1  Yes

0  No

8  Don't know

d. Right knee replacement, where all or part of the joint was replaced?

V3KNRR

Yes

No

Don't know

**Examiner Note: Please complete the Event Notification Form and mark Right Knee Replacement and then go to Question #31e below.**

e. Another kind of surgery in your right knee?

V3SOTHR

1  Yes

0  No

8  Don't know

f. i. **Are any of the answers for Questions #31a-31e above marked "Yes"?**

V3SUMYR

Yes

No

ii. Do you have any metal implants (such as pins, screws, staples, etc.) in your right knee from this surgery?

Yes

V3MIMPR

No

Don't know

**Examiner Note: Record that participant has metal implants in right knee on the OrthOne 1.0 T form (Page 69, Question #8 in the Follow-up Clinic Visit Workbook), and then proceed to Page 15, Question #32.**

Go to Page 15, Question #32.

# Knee Surgery

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



32. Since we last contacted you, about 2 years ago, did you have any surgery in your left knee?

Yes

**V3SURGL**

No

Don't know/Refused

Go to Page 16, Question #34.

33. Since we last contacted you, about 2 years ago, did you have the following types of surgery in your left knee:

a. Arthroscopy (where they put a scope) in your left knee?

**V3ARTL**  Yes

No

Don't know

b. Meniscectomy (where they repaired or cut away a torn meniscus or cartilage) in your left knee?

**V3MENL**  Yes

No

Don't know

c. Ligament repair in your left knee?

**V3LIGL**  Yes

No

Don't know

d. Left knee replacement, where all or part of the joint was replaced?

**V3KNRL**  Yes

No

Don't know

**Examiner Note: Please complete the Event Notification Form and mark Left Knee Replacement and then go to Question #33e below.**

e. Another kind of surgery in your left knee?

**V3SOTHL**  Yes

No

Don't know

f. i. **Are any of the answers for Questions #33a-33e above marked "Yes"?**

**V3SUMYL**  Yes

No

ii. Do you have any metal implants (such as pins, screws, staples, etc.) in your left knee from this surgery?

Yes

**V3MIMPL**

No

Don't know

**Examiner Note: Record that participant has metal implants in left knee on the OrthOne 1.0 T form (Page 69, Question #8 in the Follow-up Clinic Visit Workbook), and then proceed to Page 16, Question #34.**

Go to Page 16, Question #34.

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Hip Pain

The next few questions are about your hip joints.

### Right Hip

First I'll ask you about your right hip.

- 34.** During the past 30 days, have you had any pain, aching, or stiffness in or around your right hip? This includes pain in the groin and front and sides of the upper thigh. Do not include pain that was only in your lower back or buttocks.  
*(Examiner Note: REQUIRED - Show Card #10.)*

**V3ANYR**     Yes                       No                       Don't know/Refused

- 34a.** During the past 30 days, have you had pain, aching, or stiffness in your right hip on most days?

**V3HPN30R**     Yes                       No                       Don't know

Where is this pain, aching, or stiffness located?

*(Examiner Note: REQUIRED - Show Card #10. Please mark all that apply.)*

- V3GRINR**     1 Groin/inside leg near hip  
**V3OTLGR**     2 Outside of leg near hip  
**V3FRLGR**     3 Front of leg near hip  
**V3BUTTR**     4 Buttocks  
**V3LWBKR**     5 Lower back  
**V3PNDKR**     Don't know

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Hip Pain

### Left Hip

Now I'll ask you about your left hip.

35. During the past 30 days, have you had any pain, aching, or stiffness in or around your left hip? This includes pain in the groin and front and sides of the upper thigh. Do not include pain that was only in your lower back or buttocks.

*(Examiner Note: REQUIRED - Show Card #10.)*

**V3ANYL**    **1**  Yes                      **0**  No                      **8**  Don't know/Refused

- 35a. During the past 30 days, have you had pain, aching, or stiffness in your left hip on most days?

**V3HPN30L**    **1**  Yes                      **0**  No                      **8**  Don't know

Where is this pain, aching, or stiffness located?

*(Examiner Note: REQUIRED - Show Card #10. Please mark all that apply.)*

- V3GRINL**    **1**  1 Groin/inside leg near hip  
**V3OTLGL**    **1**  2 Outside of leg near hip  
**V3FRLGL**    **1**  3 Front of leg near hip  
**V3BUTTL**    **1**  4 Buttocks  
**V3LWBKL**    **1**  5 Lower back  
**V3PNDKL**    **1**  Don't know



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Hip Surgery

---

**36.** Since we last contacted you, about 2 years ago, did you have a right hip replacement, where all or part of the joint was replaced?

Yes



No

Don't know/Refused

**Examiner Note: Please complete the Event Notification Form and mark Right Hip Replacement.**

**37.** Since we last contacted you, about 2 years ago, did you have a left hip replacement, where all or part of the joint was replaced?

Yes



No

Don't know/Refused

**Examiner Note: Please complete the Event Notification Form and mark Left Hip Replacement.**

# Knee and Hip Replacements



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

**38.** Thinking about your knees or hips that have never been replaced, has a doctor or nurse told you that you need a knee or hip replacement?

- Yes                       No                       Don't know/Refused

Go Question #39.

**38a.** Has a time been scheduled for that surgery within the next 6 months?

- Yes                       No                       Don't know

**39.** Based on your understanding of the risks and benefits of hip and knee joint replacement surgery and if your symptoms were severe enough, would you be willing to have total joint replacement surgery for your hips or knees?

**(Examiner Note: REQUIRED - Show Card #11.)**

- No, definitely NOT willing to have surgery
- No, probably NOT willing to have surgery
- I'm not sure
- Yes, probably willing to have surgery
- Yes, definitely willing to have surgery
- Don't know/Refused



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Medication History

51. Since we last contacted you, about 2 years ago, have you taken a bisphosphonate medication to treat or prevent osteoporosis or to treat Paget's disease? This includes the following medications: alendronate (Fosamax), risedronate (Actonel), etidronate (Didronel), clodronate, ibandronate (Boniva), pamidronate (Aredia), tiludronate (Skelid), or zoledronate/zoledronic acid (Reclast/Zometa).  
**(Examiner Note: Review Data from Prior Visits Report for previously reported bisphosphonate medication. Refer to Card #22 for pronunciation. Do NOT show card to participants.)**

Yes       No       Don't know/Refused

↓                      ↓                      ↓

Go to Page 26, Question #52.

51a. For how many years did you take bisphosphonates?  
If you are unsure, please make your best guess.

years

**(Examiner Note:  
Round up year at 6 months.  
<6 months=0 years,  
and 6-12 months=1 year.)**

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Medication History

Now think about the last 6 months.

**52.** During the past 6 months, have you had any injections in either of your knees for treatment of arthritis?

V3KINJ  Yes  No  Don't know/Refused

**52a.** During the past 6 months, have you had an injection of hyaluronic acid (Hyaluronan [*pronounced hi-AL-yer-ah-nan*], Hyalgan, Orthovisc, Supartz, or Synvisc) in either of your knees for treatment of your arthritis? These injections are given as a series of 2 to 5 weekly injections.

V3HYINJ  Yes  No  Don't know

i. In which knee?

V3HYKN  Right knee  Left knee  Both knees  Don't know

**52b.** During the past 6 months, have you had an injection of steroids (cortisone, corticosteroids) in either of your knees for treatment of your arthritis?

V3STEROD  Yes  No  Don't know

i. In which knee?

V3STKN  Right knee  Left knee  Both knees  Don't know



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Medication History

**Female participants only. Male participants: Skip to Page 28, Question #55.**

Now think about the past year.

- 53.** During the past year have you taken Tamoxifen (also called Nolvadex), Raloxifene (also called Evista), or Toremifene (also called Fareston), Anastrozole (also called Arimidex), Exemestane (also called Aromasin), Letrozole (also called Femara), sometimes used to treat or prevent breast or ovarian cancer?

**(Examiner Note: Refer to Card #23 for pronunciation. Do NOT show card to participants.)**

- Yes       No       Don't know/Refused

- a.** When was the last time you took this? If you are unsure, please make your best guess.

**(Examiner Note: REQUIRED: Show Card #24.)**

- Less than 1 month ago  
 1 to 2 months ago  
 3 to 6 months ago  
 More than 6 months ago  
 Don't know

## Pregnancy/Menopause

- 54.** Have you been through menopause or change of life?

- Yes       No       Don't know/Refused

**Review Data from Prior Visits Report.**

If participant is age 55 to 60 years old, administer a pregnancy test.

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Medication Use

55. Not counting multi-vitamins, are you currently taking Vitamin D alone or combined with calcium?

- Yes   
  No   
  Don't know/Refused

What is the total dose per day you take most of the time?

- 100 IU  
 200 to 300 IU  
 400 to 800 IU  
 1000 IU  
 2000 or more IU  
 Don't know



**Examiner Note: STOP interview. Please answer the following question based on your judgment of the participant's responses to this questionnaire.**

56. On the whole, how reliable do you think the participant's responses to this questionnaire are?

- Very reliable  
 Fairly reliable  
 Not very reliable  
 Don't know

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Medication Inventory Form

57. Did the participant bring in or identify ALL prescription that they took during the last 30 days?  
 (Examiner Note: **REQUIRED: Show Card #25 when asking about duration of use.**)

All       Some       None       Took None

Total number recorded:   medications

Arrange for telephone call to complete MIF

### PRESCRIPTION MEDICATIONS

Record the name of the prescription medicine, frequency of use, and formulation code.

Formulation code:

Name:

Duration of use:  < 1 month     1 month to < 1 year     1 to < 3 years     3 to < 5 years     ≥ 5 years     Don't know

Prescription?  Yes     No    Frequency?  As Needed     Reg

V3SAME_RX	V3COXII_RX	V3NSAID_RX
V3ALENDR_RX	V3MSM_RX	V3PROGST_RX
V3ANALGS_RX	V3DOXY_RX	V3RALOX_RX
V3BISPHOS_RX	V3ESTROG_RX	V3RISEDR_RX
V3CALCIT_RX	V3FLUOR_RX	V3SALICY_RX
V3CALCUM_RX	V3GLCSMN_RX	V3TPTD_RX
V3CHONDR_RX	V3HYALUR_RX	V3VITMND_RX
V3CSTERD_RX	V3NARCAN_RX	V3OSTEOP_RX
		V3DIABMED_RX
		V3RAMED_RX

#### Formulation Codes:

1=oral tablet or capsule; 2=oral liquid; 3=topical liquid, lotion, or ointment; 4=ophthalmic; 5=rectal or vaginal; 6=inhaled; 7=injected; 8=transdermal patch; 9=powder; 10=nasal

Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Cognitive Screen

**Examiner Note: Review Data from Prior Visits Report.**

1. Is participant 65 years old or older?

Yes

No

Complete cognitive screen. Go to Question #2.

STOP. Go to next test.

2. I am going to say three words that I will ask you to remember. Now repeat them after I have said all three words.

**Apple, Table, Penny**

**(Examiner Note: Name three objects allowing 1 second to say each. Do not repeat the words for the participant until after the first trial. The participant may give the words in any order. If there are errors on the first trial, repeat the items up to six times until they are learned. Record responses to first attempt below.)**

	Correct	Error/ Refused
a. Apple	<input type="radio"/>	<input type="radio"/>
b. Table	<input type="radio"/>	<input type="radio"/>
c. Penny	<input type="radio"/>	<input type="radio"/>
d. Numbers of presentations necessary for the participant to repeat the sequence:		<input type="text"/> presentations

**Ask participant:**

3. How frequently do you need help with remembering to take your medications?

**(Examiner Note: REQUIRED. Show Card #26.)**

- Never (0)  
 Rarely (2)  
 Sometimes (4)  
 Frequently (6)  
 Always (8)  
 Don't know/Refused
- Participant takes no medications





Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## Cognitive Screen

4. How frequently do you need help with planning a trip for errands?

**(Examiner Note: REQUIRED. Show Card #26.)**

- Never (0)
- Rarely (1)
- Sometimes (2)
- Frequently (3)
- Always (4)
- Don't know/Refused

5. What three words did I ask you to remember earlier?

**(Examiner Note: The words may be repeated in any order.)**

- |          | Correct                   | Error/<br>Refused         |
|----------|---------------------------|---------------------------|
| a. Apple | <input type="radio"/> (0) | <input type="radio"/> (2) |
| b. Table | <input type="radio"/> (0) | <input type="radio"/> (2) |
| c. Penny | <input type="radio"/> (0) | <input type="radio"/> (2) |

### Scoring

OPTIONAL - Combine score for questions #3, 4, and 5.

**Total :** \_\_\_\_\_ (0 - 18)

Visit	MOST ID #	Acoustic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>



## Blood Pressure

~~V3BPSID~~

1. What cuff size was used?

~~V3CUFF~~  Small  Regular  Large  Thigh

2. What arm was used to take the blood pressure?

*(Examiner Note: Use the right arm unless there are contraindications.)*

~~V3ARM~~  Right  Left

**Pulse Obliteration Level: Complete only if using a sphygmomanometer.**

3. Palpated Systolic

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

~~V3LEVEL~~ mm Hg

+ 

3	0
---	---

 \*

**\* Add 30 to Palpated Systolic measurements to obtain Maximal Inflation Level.**

Maximal Inflation Level \*\*  
(MIL)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

~~V3MIL~~ mm Hg

**\*\* If MIL is  $\geq$  300 mm Hg, repeat the MIL. If MIL is still  $\geq$  300 mm Hg, terminate blood pressure measurement.**

4. Was blood pressure measurement terminated because MIL is  $\geq$  300 mm Hg after second reading?

~~V3STOP~~  Yes  No

5. Systolic 

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

**V3SBP** mm Hg

Diastolic 

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

**V3DBP** mm Hg

**Examiner Note: If the participant's blood pressure is greater than 199 mm Hg (systolic) or greater than 109 mm Hg (diastolic), mark "Yes" on Page 39, Question #1 of the Isokinetic Strength - sEMG data collection form.**

# Standing Height



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

Measure participant's height without shoes. Use the required breathing technique during each measurement. For all repeat measurements, have the participant step away from the stadiometer, then step back into the measurement position.

- Is the participant standing sideways due to kyphosis?  
**(Examiner Note: Refer to the Data from Prior Visits Report. If possible, use the same position that was used for the last height measurement.)**


Yes     No    **V3KYPHO**

2. Measurement 1        **V3HT1** mm    **V3HT**

3. Measurement 2        **V3HT2** mm

4. Difference between Measurement 1 & Measurement 2      **V3DIFF** mm

- Is the difference between Measurement 1 and Measurement 2 greater than 3 mm?



6. Measurement 3        **V3HT3** mm

7. Measurement 4        **V3HT4** mm    Staff ID#    **V3HTSID**

# Weight

Weight is measured without shoes or heavy jewelry and in the standard gown or lightweight clothing.

**V3WGHT**    **V3BMI**    **V3WTSID**  
   .  kg    **V3BMICAT**    Staff ID#     
**V3WT**



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

V320SID

## 20-Meter Walk

### Directions:

- "Now we want to measure your usual walking speed over this 20-meter course. You will start behind this line. When you have walked a few steps past the orange cone, I want you to stop. Do not slow down until you have passed the cone."

**(Examiner Note: Demonstrate how to walk past cone and stop.)**

"Now when I say 'Go,' I want you to walk at your usual walking pace. Any questions?"

"Ready, Go."

Begin timing and counting steps with the first footfall over the starting line and stop with the first footfall over the finish line.)

**Trial 1**

**V3WALK1**

1 Done **V3STEP1**   Steps     **V3WALKT1**   .   Second Hundredths/Sec

7 Participant refused →

2 Not attempted, unable →

3 Attempted, unable to complete →

Stop test.  
Go to next exam.

- Directions:**

Reset the stopwatch and have the participant repeat the 20-meter walk by walking back in the other direction.

"OK, fine. Now turn around and when I say 'Go,' walk back the other way at your usual walking pace. Be sure to walk a few steps past the cone before slowing down. Ready, Go."

**Trial 2**

**V3WALK2**

1 Done **V3STEP2**   Steps     **V3WALKT2**   .   Second Hundredths/Sec

7 Participant refused →

2 Not attempted, unable →

3 Attempted, unable to complete →

Stop test.  
Go to next exam.

**V3\_STEP**

**V3\_WALKT**



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

## 20-Meter Walk

3. During this test, did you experience any pain in your joints or muscles?

~~V3PN20~~  Yes     No     Refused or unable to answer

a. Where was the pain located?

**(Examiner Note: Mark all that apply.)**

~~V3BA20~~  Back

### Left side

- ~~V3LB20~~  Buttock
- ~~V3LH20~~  Hip
- ~~V3LT20~~  Thigh
- ~~V3LK20~~  Knee
- ~~V3LL20~~  Leg
- ~~V3LA20~~  Ankle
- ~~V3LF20~~  Foot
- ~~V3LO20~~  Other (Please specify: \_\_\_\_\_ )

### Right side

- Buttock ~~V3RB20~~
- Hip ~~V3RH20~~
- Thigh ~~V3RT20~~
- Knee ~~V3RK20~~
- Leg ~~V3RL20~~
- Ankle ~~V3RA20~~
- Foot ~~V3RF20~~
- Other (Please specify: ~~V3RO20~~ \_\_\_\_\_ )

b. Did the participant report pain in either knee?

~~V3PA20~~  Yes     No

**Examiner Note: REQUIRED: Show Card #27 and ask participant to . . .**

i. Please rate the knee pain that you had by pointing to the number on this card.

~~V3PK20~~  0     1     2     3     4     5     6     7     8     9     10

4. Was the participant using a walking aid, such as a cane?

**V3AID**     Yes     No



Visit	MOST ID #	Acrostatic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

V3CSSID

## Chair Stands

### Single Chair Stand

Directions:

"This is a test of strength in your legs in which you stand up without using your arms."


**(Examiner Note: Demonstrate and say:)** "Fold your arms across your chest, like this, and stand when I say 'Go,' keeping your arms in this position. OK?"

"Ready, Go!"

1. Single Chair Stand **V3CHAIR**

<p><b>1</b> <input type="radio"/> Stands without using arms</p> <p><b>4</b> <input type="radio"/> Rises using arms</p> <p><b>7</b> <input type="radio"/> Participant refused</p> <p><b>2</b> <input type="radio"/> Not attempted, unable</p> <p><b>3</b> <input type="radio"/> Attempted, unable to stand</p>	<p>Go to Repeated Chair Stands on the next page.</p> <p>Stop test. Go to next exam.</p>
---	---

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Repeated Chair Stands

### Repeated Chair Stands

**Directions:** (*Examiner Note: Demonstrate and say:*)

"This time, I want you to stand up five times as quickly as you can keeping your arms folded across your chest. When you stand up, come to a full standing position each time, and when you sit down, sit all the way down each time.

I will demonstrate two chair stands to show you how it is done."

**(Examiner Note: Rise two times as quickly as you can, counting as you stand up each time.)**

"When I say 'Go' stand five times in a row, as quickly as you can, without stopping. Stand up all the way, and sit all the way down each time."

"Ready, Go!"

**(Examiner Note: Start timing as soon as participant begins to stand. Count aloud: "1, 2, 3, 4, 5" as the participant stands up each time.)**

2.

	V3TR1	V3CTIME1	V3NUM1
1	<input type="radio"/> Completes 5 stands without using arms	<input type="text"/> <input type="text"/> . <input type="text"/> <input type="text"/> Seconds (Time on stopwatch)	
4	<input type="radio"/> Rises using arms		
7	<input type="radio"/> Participant refused		
2	<input type="radio"/> Not attempted, unable		
3	<input type="radio"/> Attempted, unable to complete		<input type="text"/> Number completed without using arms

Stop test.  
Go to next exam.

# Isokinetic Strength - sEMG



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

6. Within the past 3 months, have you had back surgery?  
 Yes       No       Don't know/Refused

Do NOT test. STOP. Go to next exam.

7. Within the past 6 weeks, have you had a heart attack?  
 Yes       No       Don't know/Refused

Do NOT test. STOP. Go to next exam.

8. Within the past 6 weeks, have you had cataract surgery?  
 Yes       No       Don't know/Refused

Do NOT test. STOP. Go to next exam.

9. Do you have a hernia in your groin that has not been operated on?  
 Yes       No       Don't know/Refused

Do NOT test. STOP. Go to next exam.

10. Do you have a pacemaker or other implanted device, infusion pump or stimulator?  
 Yes       No       Don't know/Refused

Do NOT administer sEMG test.

11. Do you have an allergy to adhesive or allergy to silver?  
 Yes       No       Don't know/Refused

Do NOT administer sEMG test.

**Examiner Note: Do not ask this question.**

12. Does participant have a skin irritation or wound in the area that the electrodes will be placed?  
 Yes       No       Don't know/Refused

Which thigh has a skin irritation?		
<input type="radio"/> Right	<input type="radio"/> Left	<input type="radio"/> Both thighs
If no other exclusions administer sEMG test on left thigh.	If no other exclusions administer sEMG test on right thigh.	Do NOT administer sEMG test.



# Isokinetic Strength - sEMG



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

Record Staff ID# of examiner administering this exam:

**13.** Was the flexion/extension test performed on the left leg?

Yes

No

**a.** Was the entire set completed?

Yes       No

Did participant achieve at least 81-90 degrees range of motion for all tests?

Yes       No

How many extension/flexion sets were completed?

**b.** What were the highest four torques?

Flexion	Extension
<input style="width: 20px; height: 20px;" type="text"/> Nm	<input style="width: 20px; height: 20px;" type="text"/> Nm
<input style="width: 20px; height: 20px;" type="text"/> Nm	<input style="width: 20px; height: 20px;" type="text"/> Nm
<input style="width: 20px; height: 20px;" type="text"/> Nm	<input style="width: 20px; height: 20px;" type="text"/> Nm
<input style="width: 20px; height: 20px;" type="text"/> Nm	<input style="width: 20px; height: 20px;" type="text"/> Nm

**c.** Why wasn't the test done?  
**(Examiner Note: Mark all that apply.)**

Participant refused

Stopped test due to participant discomfort

Equipment problems

Other **(Please specify: \_\_\_\_\_)**

**14.** Were any sEMG sensors placed on the left leg?

Yes

No

**a.** Channel 1 - Lateral hamstring, 1K gain default (note in Comment if >1K gain required.)

Yes       No      → Comment: \_\_\_\_\_

**b.** Channel 2 - Medial hamstring, 1K gain default (note in Comment if >1K gain required.)

Yes       No      → Comment: \_\_\_\_\_


**c.** Channel 3 - Lateral quadriceps, 1K gain default (note in Comment if >1K gain required.)

Yes       No      → Comment: \_\_\_\_\_

**d.** Channel 4 - Medial quadriceps, 1K gain default (note in Comment if >1K gain required.)

Yes       No      → Comment: \_\_\_\_\_

# Isokinetic Strength - sEMG



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

15. Was the sEMG test performed on the left leg?

Yes

No

<p><b>a. Was the entire set completed?</b></p> <p><input type="radio"/> Yes                      <input type="radio"/> No</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>How many sEMG sets were completed? <input style="width: 30px; height: 20px;" type="text"/></p> </div> <p><b>b. Did sEMG amplifier signal high noise or signal clipping with an audible beep?</b></p> <p><input type="radio"/> Yes                      <input type="radio"/> No</p>	<p><b>c. Why wasn't the test done?</b>  <b>(Examiner Note: Mark <u>all</u> that apply.)</b></p> <p><input type="radio"/> Participant refused</p> <p><input type="radio"/> Stopped test due to participant discomfort</p> <p><input type="radio"/> Equipment problems</p> <p><input type="radio"/> Other <b>(Please specify: _____)</b></p>
--	--

16. During this test, did you experience any pain in your joints or muscles?

Yes

No

Refused or unable to answer

**a. Where was the pain located? (Examiner Note: Mark all that apply.)**

Back

**Left side**

- Buttock
- Hip
- Thigh
- Knee
- Leg
- Ankle
- Foot
- Other **(Please specify: \_\_\_\_\_)**

- Buttock
- Hip
- Thigh
- Knee
- Leg
- Ankle
- Foot
- Other **(Please specify: \_\_\_\_\_)**

**b. Did participant report pain in either knee?**

Yes

No

**Examiner Note/REQUIRED: Show Card #27 and ask participant to . . .**

**i. Please rate the knee pain that you had by pointing to the number on this card. "0" means "No pain" and "10" means "Worst pain you can imagine."**

0     1     2     3     4     5     6     7     8     9     10

**c. Did this pain prevent you from pushing or pulling as hard as you can?**

Yes

No

Don't know

# Isokinetic Strength - sEMG



Visit	MOST ID #	Acrostic													
<input type="radio"/> 60-month <input type="radio"/> 84-month	<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> </tr> </table>									<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> </tr> </table>					

17. Was the flexion/extension test performed on the right leg?

Yes

No

a. Was the entire set completed?

Yes

No

Did participant achieve at least 81-90 degrees range of motion for all tests?

Yes      No

How many extension/flexion sets were completed?

b. What were the highest four torques?

Flexion	Extension
<input style="width: 40px; height: 25px;" type="text"/> Nm	<input style="width: 40px; height: 25px;" type="text"/> Nm
<input style="width: 40px; height: 25px;" type="text"/> Nm	<input style="width: 40px; height: 25px;" type="text"/> Nm
<input style="width: 40px; height: 25px;" type="text"/> Nm	<input style="width: 40px; height: 25px;" type="text"/> Nm
<input style="width: 40px; height: 25px;" type="text"/> Nm	<input style="width: 40px; height: 25px;" type="text"/> Nm

c. Why wasn't the test done?

**(Examiner Note: Mark all that apply.)**

- Participant refused
- Stopped test due to participant discomfort
- Equipment problems
- Other (*Please specify:* \_\_\_\_\_ )

18. Were any sEMG sensors placed on the right leg?

Yes

No

- a. Channel 1 - Lateral hamstring, 1K gain default (note in Comment if >1K gain required.)  
 Yes      No     → Comment: \_\_\_\_\_
- b. Channel 2 - Medial hamstring, 1K gain default (note in Comment if >1K gain required.)  
 Yes      No     → Comment: \_\_\_\_\_
- c. Channel 3 - Lateral quadriceps, 1K gain default (note in Comment if >1K gain required.)  
 Yes      No     → Comment: \_\_\_\_\_
- d. Channel 4 - Medial quadriceps, 1K gain default (note in Comment if >1K gain required.)  
 Yes      No     → Comment: \_\_\_\_\_

# Isokinetic Strength - sEMG



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

19. Was the sEMG test performed on the right leg?

Yes  
↓

No  
↓

**a.** Was the entire set completed?

Yes                       No

How many sEMG sets were completed?

**b.** Did sEMG amplifier signal high noise or signal clipping with an audible beep?

Yes                       No

**c.** Why wasn't the test done?  
*(Examiner Note: Mark all that apply.)*

Participant refused

Stopped test due to participant discomfort

Equipment problems

Other *(Please specify: \_\_\_\_\_)*

20. During this test, did you experience any pain in your joints or muscles?

Yes       No       Refused or unable to answer

**a.** Where was the pain located? *(Examiner Note: Mark all that apply.)*

Back

**Left side**

Buttock

Hip

Thigh

Knee

Leg

Ankle

Foot

Other *(Please specify: \_\_\_\_\_)*

**Right side**

Buttock

Hip

Thigh

Knee

Leg

Ankle

Foot

Other *(Please specify: \_\_\_\_\_)*

**b.** Did participant report pain in either knee?

Yes     No

**Examiner Note: REQUIRED: Show Card #27 and ask participant to . . .**

**i.** Please rate the knee pain that you had by pointing to the number on this card.

0     1     2     3     4     5     6     7     8     9     10

**c.** Did this pain prevent you from pushing or pulling as hard as you can?

Yes                       No                       Don't know

Balance

Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



EXCLUSIONS

1. Do you typically use a cane either around the home or when you go out?
- Yes       No       Don't know       Refused

↓  
 Yes → Go to Question #3.  
 No →  
 Don't know →  
 Refused →

**Examiner Note: Demonstrate rapid step up and maximal step length tests. Ask participant if they can safely do these tests without their cane.**

**Rapid Step-up**  Yes    No →

**Maximal Step Length**  Yes    No →

**Examiner Note: If participant can safely do either test without their cane, go to Question #2.**

**Examiner Note: Ask participant to stand, feet together, with eyes open, for 30 seconds:**

2. Was participant able to stand for 30 seconds?
- Yes       No

↓  
 Yes →        No →

3. Do you typically wear a knee brace either around the home or when you go out?

Yes       No       Don't know       Refused

↓  
 Yes →

**Examiner Note: Demonstrate rapid step up and maximal step length tests. Ask participant if they can safely do both tests without their knee brace.**

Yes       No       Don't know

↓  
 Yes → Test without knee brace. Go to Page 46, Question #4.

**(Examiner Note: ask participant to put on their knee brace if they have it with them.)**

**b. Is participant wearing their knee brace for testing?**

Yes       No

↓  
 Yes → **i. On which side is their knee brace?**

Right    Left    Both

↓  
 Go to Page 46, Question #4.

↓  
 No → Do NOT administer balance tests.

# Rapid Step Up



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

**Examiner Note: Describe and demonstrate rapid step up test:**

RIGHT

**4. Directions:**

"When I say 'Go' step completely onto the block with your right foot and step down again keeping your left foot on the floor. Be sure to put your foot down completely on the step and on the floor. Keep your arms folded across your chest. Continue stepping up and down with your right foot as rapidly as you can until I say STOP. OK?"

"Ready, Go!"

- Done
- Attempted, lost balance
- Participant refused
- Not attempted, unable

Steps

Go to Step Test Left.

LEFT

**5. Directions:**

"When I say 'Go' step completely onto the block with your left foot and step down again keeping your right foot on the floor. Be sure to put your foot down completely on the step and on the floor. Keep your arms folded across your chest. Continue stepping up and down with your left foot as rapidly as you can until I say STOP. OK?"

"Ready, Go!"

- Done
- Attempted, lost balance
- Participant refused
- Not attempted, unable

Steps

Go to Maximal Step Length.

# Maximal Step Length



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

**Examiner Note: Describe and demonstrate maximal step length test:**

RIGHT

**6. Directions:**

"Very good, now we will do the real test. You will be doing this two times with each leg. Once again, stand in the box with your toes against the starting line and your arms across your chest. When you do the test, take a step forward with your right foot as far as you can safely go and return in a single step to the starting line. Please do not try to step any further than the blue line. OK?"

Done

Trial 1	Trial 2
<input type="text"/> <input type="text"/> in <input type="radio"/> Greater than 40 in.	<input type="text"/> <input type="text"/> in <input type="radio"/> Greater than 40 in. <input type="radio"/> Not done

Attempted, unable to complete any trials

Participant refused

Not attempted, unable

Go to Maximal Step Length Left.

LEFT

**7. Directions:**

"Now we are going to do exactly the same thing with the left leg: Toes on the start line, arms folded, one step as far as you can safely go and return in a single step. Do not try to step any further than the blue line."

Done

Trial 1	Trial 2
<input type="text"/> <input type="text"/> in <input type="radio"/> Greater than 40 in.	<input type="text"/> <input type="text"/> in <input type="radio"/> Greater than 40 in. <input type="radio"/> Not done

Attempted, unable to complete any trials

Participant refused

Not attempted, unable

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Maximal Step Length - Pain

8. During this test, did you experience any pain in your joints or muscles?
- Yes     No     Refused or unable to answer

- a. Where was the pain located?  
 (**Examiner Note: Mark all that apply.**)

<input type="radio"/> Back	
<p style="text-align: center;"><b>Left side</b></p> <p> <input type="radio"/> Buttock  <input type="radio"/> Hip  <input type="radio"/> Thigh  <input type="radio"/> Knee  <input type="radio"/> Leg  <input type="radio"/> Ankle  <input type="radio"/> Foot  <input type="radio"/> Other (<i>Please specify:</i> _____ )         </p>	<p style="text-align: center;"><b>Right side</b></p> <p> <input type="radio"/> Buttock  <input type="radio"/> Hip  <input type="radio"/> Thigh  <input type="radio"/> Knee  <input type="radio"/> Leg  <input type="radio"/> Ankle  <input type="radio"/> Foot  <input type="radio"/> Other (<i>Please specify:</i> _____ )         </p>

- b. Did participant report pain in either knee?
- Yes     No

**Examiner Note: REQUIRED: Show Card #27 and ask participant to . . .**

i. Please rate the knee pain that you had by pointing to the number on this card.

0     1     2     3     4     5     6     7     8     9     10



# GAITrite and Plantar Pressure Exclusions



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

**(Examiner Note: Do not ask this question.)**

1. Is participant using a walker or crutches?

Yes       No

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

2. Does participant have a cane with them?

Yes       No

a. When you leave your home, do you use a cane more than half the time when you walk?

Yes       No       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

b. Are you able to walk safely over short distances without using a cane?

Yes       No       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

3. Is the participant wearing an orthotic knee brace?

**(Examiner Note: Do not include neoprene sleeve or patellar tendon strap.)**

Yes       No

a. When you leave your home, do you use a knee brace more than half the time when you walk?

Yes       No       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

b. Are you able to walk safely over short distances without using a knee brace?

Yes       No       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

## GAITrite and Plantar Pressure Exclusions



Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

4. Has the participant had any amputation of the lower extremity other than the toes?

Yes                       No

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

5. In the past 6 weeks, have you had either surgery or an injury to your legs or feet that caused you to restrict weight-bearing for a week or longer?

Yes                       No                       Don't know/Refused

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

6. Do you have difficulty walking or standing upright because of a stroke, Parkinson's disease, or other neurological condition?

Yes                       No                       Don't know/Refused

6a. Have you had this difficulty for 6 months or more?

Yes                       No                       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

**Examiner Note: Observe participant for signs of impairment of vision, gait, and balance, or severe joint pain that might pose a safety risk for the GAITrite and plantar pressure tests. If there is a safety concern, ask the participant if they feel they can safely walk short distances. If necessary describe the tests in more detail.**

7. Is there a safety concern?

Yes                       No

**Ask participant:**

7a. Do you think you can safely walk short distances?

Yes                       No                       Don't know

Do NOT administer GAITrite or plantar pressure walk tests. Go to next test.

GAITrite

Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



1. In the past 6 weeks, have you been in the hospital overnight or longer for a heart or lung condition?
- Yes       No       Don't know/Refused

Do NOT administer GAITrite walk test. Go to plantar pressure test.

2. Was the normal-pace walk test administered?
- Yes       No

3. Was the fast-pace walk test administered?
- Yes       No

4. During this test, did you experience any pain in your joints or muscles?
- Yes       No       Refused or unable to answer

- a. Where was the pain located?  
 (Examiner Note: Mark all that apply.)
- Back

**Left side**

Buttock  
 Hip  
 Thigh  
 Knee  
 Leg  
 Ankle  
 Foot  
 Other (Please specify: \_\_\_\_\_ )

**Right side**

Buttock  
 Hip  
 Thigh  
 Knee  
 Leg  
 Ankle  
 Foot  
 Other (Please specify: \_\_\_\_\_ )

- b. Was the pain typical of what you usually feel during this kind of activity?
- Yes     No     Refused or unable to answer

(Examiner Note: See list of areas with pain above. Do not ask the next question.)

- c. Did the participant report pain in either knee?
- Yes       No

Show Card #27 and ask participant:

i. Please rate the knee pain that you had by pointing to the number on this card.

0     1     2     3     4     5     6     7     8     9     10

# Plantar Pressure

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



**Examiner Note: Perform bend, twist, and pinch test on participant's shoe (left preferred).**

1. Record type of shoe participant wore to clinic:

**1a. Bend test**

- Rigid (no bend)
- Supportive (bend in toe box; no bend in arch)
- Flexible (arch bends)
- Not tested/Other

**1b. Twist test**

- Rigid (no twist)
- Supportive (toe box twists <45 degrees)
- Flexible (toe box twists >45 degrees)
- Not tested/Other

**1c. Pinch test**

- Rigid (no narrowing of heel counter)
- Supportive (heel counter narrows - NO medial/lateral contact)
- Flexible (heel counter narrows - medial/lateral contact)
- No heel counter present
- Not tested/Other

2. Does participant have an insert in their right shoe?

- Yes     No

**2a. What sort of insert?**

- Supportive
- Cushioning
- Both supportive and cushioning
- Other
- Not tested

3. Does participant have an insert in their left shoe?

- Yes     No

**3a. What sort of insert?**

- Supportive
- Cushioning
- Both supportive and cushioning
- Other
- Not tested

# Plantar Pressure



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

**(Examiner Note: Look at the bottom of the participant's feet.)**

4. Does the participant have any open wounds on the bottom of either of their feet?

Yes

No

Don't know/Refused

Do NOT administer plantar pressure walk test. Go to next test.

5. Was the seated foot photograph acquired?

Yes

No

6. Were any walking trials performed?

Yes

No

7. Was standing photograph acquired?

Yes

No

8. Was posture data collected?

Yes

No

Plantar Pressure

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



9. During the walking part of this test, did you experience any pain in your joints or muscles?

- Yes     No     Refused or unable to answer

a. Where was the pain located?  
 (Examiner Note: **Mark all that apply.**)

Back

**Left side**

- Buttock
- Hip
- Thigh
- Knee
- Leg
- Ankle
- Foot
- Other (Please specify: \_\_\_\_\_)

**Right side**

- Buttock
- Hip
- Thigh
- Knee
- Leg
- Ankle
- Foot
- Other (Please specify: \_\_\_\_\_)

b. Was the pain typical of what you usually feel during this kind of activity?

- Yes     No     Refused or unable to answer

(Examiner Note: See list of areas with pain above. Do not ask the next question.)

c. Did the participant report pain in either knee?

- Yes     No

Show Card #27 and ask participant:

i. Please rate the knee pain that you had by pointing to the number on this card.

- 0     1     2     3     4     5     6     7     8     9     10

Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## VPT & Pain Sensitivity Exclusions

1. Have you ever had either of your knees replaced?  
 Yes       No       Don't know/Refused

a. Which knee was replaced?

Right       Left       Both knees

Do NOT test R patella.	Do NOT test L patella.	Do NOT test R or L patella.
------------------------	------------------------	-----------------------------

**Examiner Note: Do not ask participant the following question.**

2. Are either of the participant's legs amputated above the knee?  
 Yes       No

a. Which leg was amputated above the knee?

Right       Left       Both legs

If no other exclusions test left leg.	If no other exclusions test right leg.	If no other exclusions test wrist.
---------------------------------------	--	------------------------------------

**Examiner Note: Look at the participant's legs.**

3. Are there open or healing skin wounds or surgical scars on the patella or tibial tuberosity?  
 Yes       No

a. Where?

<input type="radio"/> Right patella	→	Do not test right patella.
<input type="radio"/> Right tibial tuberosity	→	Do not test right tibial tuberosity.
<input type="radio"/> Left patella	→	Do not test left patella.
<input type="radio"/> Left tibial tuberosity	→	Do not test left tibial tuberosity.

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## VPT & Pain Sensitivity Exclusions

**Examiner Note: Ask participant:**

4. Have you broken your wrist in the past 6 months?

Yes       No

a. Which wrist was broken?

Right

Left

Both wrists

See if left wrist  
can be tested.

See if right wrist  
can be tested.

Do not administer vibration perception or  
pressure pain threshold test on either wrist.

5. Do you regularly wear a splint or brace on your wrist?

Yes       No

a. Which wrist?

Right

Left

Both wrists

See if left wrist  
can be tested.

See if right wrist  
can be tested.

Do not administer vibration perception or  
pressure pain threshold test on either wrist.

**Examiner Note: Look at the participant's wrists.**

6. Is there a cast, other irremovable item covering the skin, open or healing skin wounds, or surgical scars over either wrist?

Yes, right wrist

Yes, left wrist

No

See if left wrist  
can be tested.

See if right wrist  
can be tested.

**Examiner Note: Look at participant's right wrist.**

7. Is there any other reason that the participant's right wrist cannot be tested?

Yes       No

a. Can the left wrist be tested?

Yes

No

Test left wrist.

Do not perform vibration perception, pressure pain threshold,  
or pain sensitivity tests on either wrist.



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>



## Peripheral Neuropathy, 10 g von Frey filament

**Examiner Note.** Apply the filament 10 times perpendicularly and briefly, (<1 second) with an even pressure. Instruct participant: "Please say 'now' every time you feel this bristle touch your skin."

### RIGHT TOE

1. Was right toe tested?

Yes   
  No, unable to test   
  Refused

a. Was the entire set completed?

Yes   
  No

i. How many trials were completed?  trials

b. How many times did the participant NOT respond to the stimulus?

times

### LEFT TOE

2. Was left toe tested?

Yes   
  No, unable to test   
  Refused

a. Was the entire set completed?

Yes   
  No

i. How many trials were completed?  trials

b. How many times did the participant NOT respond to the stimulus?

times

# Vibration Perception Threshold



Visit	MOST ID #	Acroscopic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

- Examiner #1 indicates to Examiner #2 with a nod or "ok" that they are ready to begin increasing voltage.
- After confirmation, Examiner #2 increases voltage gradually by turning dial clockwise continuously one volt per second by counting "one one thousand, two one thousand, etc."
- As soon as the participant vocalizes feeling the vibration, Examiner #2 should take their hand off the dial.
- Read number of volts set on the machine and record onto the data collection form (Trial #1). This should be recorded to the nearest 0.5 volts. If the reading is in-between two numbers, round up.
- Continue to Trial #2, etc.

Examiner #1 (applicator)
Staff ID# <input type="text"/> <input type="text"/> <input type="text"/>

Examiner #2 (voltage knob)
Staff ID# <input type="text"/> <input type="text"/> <input type="text"/>

## RIGHT 1st MTP, participant supine, foot flat on table

1. Trial 1   .  volts

2. Trial 2   .  volts

3. Difference between Trial 1 & Trial 2   .  volts

4. Is the difference between Trial 1 and Trial 2 greater than 4 volts?

Yes

No

Complete Trials 3 and 4 below.

Go to Item #7.

5. Trial 3   .  volts

6. Trial 4   .  volts

## RIGHT TIBIAL TUBEROSITY, participant supine, leg straightened out

7. Trial 1   .  volts

8. Trial 2   .  volts

9. Difference between Trial 1 & Trial 2   .  volts

10. Is the difference between Trial 1 and Trial 2 greater than 6 volts?

Yes

No

Complete Trials 3 and 4 below.

Go to Item #13.

11. Trial 3   .  volts

12. Trial 4   .  volts

## RIGHT RADIAL STYLOID, hand flat on table

13. Trial 1   .  volts

14. Trial 2   .  volts

15. Difference between Trial 1 & Trial 2   .  volts

16. Is the difference between Trial 1 and Trial 2 greater than 4 volts?

Yes

No

Complete Trials 3 and 4 below.

Go to Item #19.

17. Trial 3   .  volts

18. Trial 4   .  volts

# Vibration Perception Threshold



Visit	MOST ID #	Acroscopic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

- Examiner #1 indicates to Examiner #2 with a nod or “ok” that they are ready to begin increasing voltage.
- After confirmation, Examiner #2 increases voltage gradually by turning dial clockwise continuously one volt per second by counting “one one thousand, two one thousand, etc.”
- As soon as the participant vocalizes feeling the vibration, Examiner #2 should take their hand off the dial.
- Read number of volts set on the machine and record onto the data collection form (Trial #1). This should be recorded to the nearest 0.5 volts. If the reading is in-between two numbers, round up.
- Continue to Trial #2, etc.

## LEFT 1st MTP, participant supine, foot flat on table

19. Trial 1   .  volts

20. Trial 2   .  volts

21. Difference between Trial 1 & Trial 2   .  volts

22. Is the difference between Trial 1 and Trial 2 greater than 4 volts?  
 Yes       No

Complete Trials 3 and 4 below.       Go to Item #25.

23. Trial 3   .  volts

24. Trial 4   .  volts

## LEFT TIBIAL TUBEROSITY, participant supine, leg straightened out

25. Trial 1   .  volts

26. Trial 2   .  volts

27. Difference between Trial 1 & Trial 2   .  volts

28. Is the difference between Trial 1 and Trial 2 greater than 6 volts?  
 Yes       No

Complete Trials 3 and 4 below.       Go to Item #31

29. Trial 3   .  volts

30. Trial 4   .  volts

## LEFT RADIAL STYLOID, hand flat on table

31. Trial 1   .  volts

32. Trial 2   .  volts

33. Difference between Trial 1 & Trial 2   .  volts

34. Is the difference between Trial 1 and Trial 2 greater than 4 volts?  
 Yes       No

Complete Trials 3 and 4 below.       Go to next test.

35. Trial 3   .  volts

36. Trial 4   .  volts

Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Pain Sensitivity - Touch, 2 g von Frey filament

**1. DISTAL RADIAL-ULNAR JOINT (Right preferred)** Please say "now" when you feel this bristle touch your skin, or say "pain" if it was painful.  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant:

i. Please rate the pain at your wrist from this test.

0  1  2  3  4  5  6  7  8  9  10

**2. RIGHT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant:

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**3. RIGHT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant:

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**4. LEFT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant:

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**5. LEFT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant:

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Pain Sensitivity - Touch, 26 g von Frey filament

**1. DISTAL RADIAL-ULNAR JOINT (Right preferred)** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant: ↓

i. Please rate the pain at your wrist from this test.

0  1  2  3  4  5  6  7  8  9  10

**2. RIGHT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant: ↓

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**3. RIGHT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant: ↓

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**4. LEFT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant: ↓

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**5. LEFT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
 Ask participant: ↓

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Pain Sensitivity - Temporal summation

**1. DISTAL 4 trials**  
**RADIAL-ULNAR JOINT** *Say to participant:* Please rate any pain you may have had at your wrist from this test. (right preferred)

a.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know

**30-sec test** *Say to participant:* Please rate the maximal pain you may have experienced at your wrist from this test.

b.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know  Test not completed

**15-seconds after test** *Say to participant:* Please rate any pain you may be experiencing currently at your wrist.

c.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Is that painful to you? i.  Yes  No  Don't know

**2. RIGHT PATELLA 4 trials**  
*Say to participant:* Please rate any pain you may have had at your knee from this test.

a.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know

**30-sec test** *Say to participant:* Please rate the maximal pain you may have experienced at your knee from this test.

b.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know  Test not completed

**15-seconds after test** *Say to participant:* Please rate any pain you may be experiencing currently at your knee.

c.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Is that painful to you? i.  Yes  No  Don't know

**3. LEFT PATELLA 4 trials**  
*Say to participant:* Please rate any pain you may have had at your knee from this test.

a.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know

**30-sec test** *Say to participant:* Please rate the maximal pain you may have experienced at your knee from this test.

b.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Was that painful? i.  Yes  No  Don't know  Test not completed

**15-seconds after test** *Say to participant:* Please rate any pain you may be experiencing currently at your knee.

c.   0  1  2  3  4  5  6  7  8  9  10  Test not done  
*If pain rating score is greater than "0" ask:* Is that painful to you? i.  Yes  No  Don't know

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Pain Sensitivity - Pinprick

**1. DISTAL RADIAL-ULNAR JOINT (Right preferred)** Please say "now" each time you feel this pin touch your skin, or say "pain" if it was painful.  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
*Ask participant:*

i. Please rate the pain at your wrist from this test.

0  1  2  3  4  5  6  7  8  9  10

**2. RIGHT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
*Ask participant:*

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**3. RIGHT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
*Ask participant:*

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**4. LEFT PATELLA** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
*Ask participant:*

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

**5. LEFT TIBIAL TUBEROSITY** Please say "now" or say "pain."  Test not done

Trial 1	Trial 2	Trial 3	Trial 4
<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR	<input type="radio"/> Now <input type="radio"/> Pain <input type="radio"/> NR

a. Did the participant report pain at least three times? (**Examiner Note: See Trials 1, 2, 3, and 4 above.**)  Yes  No  
*Ask participant:*

i. Please rate the pain at your knee from this test.

0  1  2  3  4  5  6  7  8  9  10

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Pressure Pain Threshold

SUPINE - ARM	Trial 1	Trial 2	Trial 3
1. Distal radial-ulnar joint, right preferred	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done

SUPINE - LEGS	Trial 1	Trial 2	Trial 3
2. Right patella	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done
3. Right tibial tuberosity	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done
4. Left patella	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done
5. Left tibial tuberosity	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done	<input type="text"/> . <input type="text"/> <input type="text"/> kg <input type="radio"/> Test not done



Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/>	<input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/>	<input type="text"/>

### Knee X-ray

First knee x-ray    Repeat knee x-ray

1. **Confirm that this is the correct participant:** Ask their name, confirm in chart that the name matches the MOST ID# and Acrostic at the top of this form.

2. Were X-rays taken?   **1**  Yes                      **0**  No   **V3XRAY**

V3XRAYN

- Participant not eligible (e.g., pregnant, bilateral knee replacement)
- Participant refused x-rays at clinic visit
- Equipment failure
- Participant did not show up for appointment/would not reschedule
- Other (*Please specify:* \_\_\_\_\_ )

3. What is the MOST staff ID# for the X-ray technician?      **V3XSID**

4. Please indicate which views were taken and the settings used.

a. PA semiflexed view of right and left knee?

**1**  Yes →

**V3PA**

i. mAs setting  

ii. Beam angle: **Check Data from Prior Visits Report to see which beam angle(s) was (were) best at baseline. Use best beam angle(s), and record angle(s) below. Mark all that apply.**

**V3PA5**    5°                       10°   **V3PA10**    15°   **V3PA15**

**0**  No →   Comments: \_\_\_\_\_

b. Lateral view of right knee?

**1**  Yes →

**V3LR**

i. mAs setting

**0**  No →   Comments: \_\_\_\_\_

c. Lateral view of left knee?

**1**  Yes →

**V3LL**

i. mAs setting

**0**  No →   Comments: \_\_\_\_\_

d. Full limb view?

**1**  Yes →

**V3FL**

i. mAs setting

**0**  No →   Comments: \_\_\_\_\_

Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## OrthOne 1.0 T Knee MRI

First knee MRI     Repeat knee MRI

Confirm that this is the correct participant: Ask their name, confirm in chart that the name matches the MOST ID# and Acrostic at the top of this form.

1. Was participant eligible for MRI at time of Follow-up Telephone Interview?

**(Examiner Note: Refer to Data from Prior Visits Report)**

Yes

No

Not eligible for MRI. Go to Page 69, Question #9, and mark "No."

2. Does participant weigh > 350 lbs (>159.1 kg)?

**(Examiner Note: Do not re-weigh participant. Check weight measurement on page 33 in the Follow-up Clinic Visit Workbook.)**

Yes

No

Not eligible for MRI. Go to Page 69, Question #9, and mark "No."

3. Have you had any surgery in the past 2 months?

Yes

No

Don't know

**3a.** What type of surgery was it?

When was the surgery? **(Examiner Note: If participant unsure, please probe.)**

<input type="text"/>	/	<input type="text"/>	/	<input type="text"/>
Month		Day		Year

Go to Page 68, Question #4.

**3b.** Does the surgery require a 2-month wait before an MRI can be performed?

**(Examiner Note: Refer to the list of MRI-safe surgeries/procedures that do not require a 2-month wait. If the surgery or procedure does not require a 2-month wait, mark "No".)**

Yes

No

Not eligible for MRI at this time. Go to Page 70, Question #11a and #11b, and mark "Participant scheduled for a later date." Schedule MRI for 2 months after surgery date. Complete and scan Pages 68, 69, 70, and 71 when participant returns for MRI.

Go to Page 68, Question #4.

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



OrthOne 1.0 T Knee MRI

First knee MRI    Repeat knee MRI

**4. The next few questions will be about specific implants. Please tell me whether you currently have any of the following implanted in your body:**

i. Electronic implant or device, such as a cochlear implant	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ii. Magnetically-activated dental implant or dentures, magnetic eye implant, or other magnetic device	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iii. Heart pacemaker	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iv. Implanted heart defibrillator	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
v. Internal electrodes or wires, such as pacemaker wires or bone growth/ bone fusion stimulator wires	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vi. Neurostimulation system, such as spinal cord stimulator or gastric electrical stimulation system	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vii. Surgically implanted insulin or drug pump	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
viii. Tissue expander with magnetic port, such as inflatable breast implant with magnetic port	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ix. Brain aneurysm surgery, brain aneurysm clip(s) or coil(s)	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused

**4a. Examiner Note:**

**Are any of the above items in Question #4 marked "Yes" or "Don't Know/Refused"?**

Yes →   No

**5. Please tell me whether any of the following is currently implanted in your body:**

i. Stent, filter, coil, or clips	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
ii. Shunt (spinal or intraventricular)	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iii. Vascular access port or catheter, such as a central venous catheter or PICC line	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
iv. Surgically implanted hearing device (not a regular hearing aid) or prosthesis in your ear	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
v. Eyelid spring, wire or weights	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vi. Penile implant or prosthesis ( <b>men only</b> )	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused
vii. Heart valve	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know/Refused

**5a.** Since your last visit to the MOST clinic on [month/year], have you had an injury in which metal fragments entered your eye and you had to seek medical attention? (**Examiner Note: Refer to Data from Prior Visits Report for month/year of last MRI scan.**)

Yes    No    Don't know/Refused

**5b.** Since your last visit to the MOST clinic, have you had an injury in which metal fragments such as shrapnel, BB, or bullet entered your body?

Yes    No    Don't know/Refused

Visit	MOST ID #	Acrostic
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>


 First knee MRI    Repeat knee MRI

### OrthOne 1.0 T Knee MRI

6. Are any of the items in Question #5 or Questions #5a - 5b on the previous page marked "Yes" or "Don't Know/Refused"?  
 Yes    No

6a. Does the participant have medical documentation that shows that it is safe to have an MRI scan?  
**(Examiner Note. If documentation is not already in the chart, ask participant if they brought medical documentation showing that it is safe to have an MRI.)**

Yes    No

Place documentation in participant's chart and have authorized staff person sign here: \_\_\_\_\_

Not eligible for MRI.  
 Go to Question #9, and mark "No."

7. Is there any other reason why this participant would not be eligible for an MRI?  
 Yes    No

What is the reason?  
 \_\_\_\_\_

Not eligible for MRI.  
 Go to Question #9, and mark "No."

8. Has the participant had a knee replacement (where all or part of their joint was replaced), or knee surgery with metal implants in either knee?  
**(Examiner Note: Refer to Data from Prior Visits Report, Page 14, Q#31d and Q#31fii, Page 15, Q#33d and Q#33fii, Page 39, Q4, and Page 55, Q1 in Follow-up Clinic Visit Workbook or ask.)**

Yes    No

Which knee was replaced or has metal implants?

Right    Left    Both knees

Right  
 Do not scan right knee.

Left  
 Do not scan left knee.

Both knees  
 Not eligible for MRI.  
 Go to Question #9 and mark "No."

9. Is the participant eligible for an OrthOne 1.0 T knee MRI scan?  
 Yes    No

Tech. signature: \_\_\_\_\_

Go to Page 70, Question #11.

10. Which knee(s) is being scanned?  
**(Examiner Note: To determine which knee(s) to scan: Scan both knees unless contraindicated - refer to Question #8 above.)**

Right knee    Left knee    Both knees

Visit	MOST ID #	Acrostic	Date Form Completed	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



First knee MRI     Repeat knee MRI

## OrthOne 1.0 T Knee MRI

11. a. Was an MRI obtained of the right knee?

Yes     No →  
**V3ONIR**

Why wasn't a right knee MRI obtained? (**Mark only one**)

1 Participant not eligible  
 2 Participant had right total knee replacement **V3NOR**  
 3 Participant's leg did not fit in MRI scanner  
 4 Participant refused  
 5 Participant scheduled for a later date  
 6 Other (**Please specify:** \_\_\_\_\_ )  
 \_\_\_\_\_ )

b. Was an MRI obtained of the left knee?

Yes     No →  
**V3ONIL**

Why wasn't a left knee MRI obtained? (**Mark only one**)

1 Participant not eligible  
 2 Participant had left total knee replacement **V3NOL**  
 3 Participant's leg did not fit in MRI scanner  
 4 Participant refused  
 5 Participant scheduled for a later date  
 6 Other (**Please specify:** \_\_\_\_\_ )  
 \_\_\_\_\_ )

Visit	MOST ID #	Acrostic	Date of Scan
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



OrthOne 1.0 T Knee MRI

First knee MRI     Repeat knee MRI

MRI Technologist ID#
<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

12. Was an OrthOne 1.0 T knee MRI reviewed and obtained for each of the following sequences?

**a. Right knee scan**

i. Was the right knee scan viewed?

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

ii. Axial

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

iii. Sagittal

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

iv. Coronal STIR

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

v. 3 Point Dixon  
*(Examiner Note: Refer to Data From Prior Visits Report to see if 3 Point Dixon should be obtained.)*

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

**b. Left knee scan**

i. Was the left knee scan viewed?

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

ii. Axial

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

iii. Sagittal

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

iv. Coronal STIR

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

v. 3 Point Dixon  
*(Examiner Note: Refer to Data From Prior Visits Report to see if 3 Point Dixon should be obtained.)*

Yes     No    Reason: \_\_\_\_\_  
 Comment: \_\_\_\_\_

# Initial Knee Pain and Urine Collection

Visit	MOST ID #	Acrostic	Date of Urine Collection	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

First sample collection      Repeat sample collection



**Bar Code Label**

**Enter ID from Bar Code label:**

1. While you are sitting here now, are you experiencing any pain in your joints or muscles?

Yes     No     Refused or unable to answer

**a. Where is the pain located? (Mark all that apply.)**

<p style="text-align: center;"><b>Left side</b></p> <p><input type="radio"/> Buttock</p> <p><input type="radio"/> Hip</p> <p><input type="radio"/> Thigh</p> <p><input type="radio"/> Knee</p> <p><input type="radio"/> Leg</p> <p><input type="radio"/> Ankle</p> <p><input type="radio"/> Foot</p> <p><input type="radio"/> Other</p> <p><i>(Please specify: _____)</i></p>	<p><input type="radio"/> Back</p>	<p style="text-align: center;"><b>Right side</b></p> <p><input type="radio"/> Buttock</p> <p><input type="radio"/> Hip</p> <p><input type="radio"/> Thigh</p> <p><input type="radio"/> Knee</p> <p><input type="radio"/> Leg</p> <p><input type="radio"/> Ankle</p> <p><input type="radio"/> Foot</p> <p><input type="radio"/> Other</p> <p><i>(Please specify: _____)</i></p>
---	-----------------------------------	--

**b. Did the participant report pain in either knee?**

Yes                       No

**Examiner Note: REQUIRED: Show Card #27 and ask participant to . . .**

**i. Please rate the knee pain that you have by pointing to the number on this card. "0" means "No pain" and "10" means "Worst pain you can imagine."**

0    1    2    3    4    5    6    7    8    9    10

2. Has participant had bilateral knee replacement(s)?

**Examiner Note: Check Data from Prior Visits Report.**

Yes     No

Do not obtain biospecimens.

3. Was a urine specimen obtained?

Yes                       No

**Go to Question #5 and explain.**

3a. Which void(s) was collected?

*(Examiner note: Mark all that apply; if one void is insufficient volume, it is permissible to combine two specimens, as long as neither is the first morning void.)*

First     Second     Third     Fourth or later

Try to obtain a second-void specimen before noon and before the participant leaves the clinic. Do not aliquot first-void specimen unless later void not obtained.

3b. What time was the urine specimen collected?

*(Examiner note: If two specimens are combined, please write the later of the two times.)*

:      am     pm  
 Hours    Minutes

3c. **Ask participant:** What is the date and time you last ate or drank anything except water?

**i. Date:**  /  /

**ii. Time:**  :      am     pm  
 Hours    Minutes

**iii. How many hours has participant fasted?**

Hours

3d. Place of urine collection:  Home     Clinic

**Ask participant:**

4. What time did you get up for the day today?

:      am     pm  
 Hours    Minutes

5. Comments on urine collection:

\_\_\_\_\_

# Phlebotomy

Visit	MOST ID #	Acrostic	Date of Phlebotomy	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



First sample collection       Repeat sample collection

Now I'm going to ask you two questions to see whether it is safe to draw your blood.

**1.** Have you ever had an arm graft shunt or port for kidney dialysis?

- Yes     No     Don't know/Refused

Go to Question #3 and mark "Neither."

Which side?

- Right                       Left                       Both

Draw blood on left side.

Draw blood on right side.

Do NOT draw blood on either side. Go to Question #3 and mark "Neither."

**2.** Have you ever had a radical mastectomy or other surgery where lymph nodes were removed from your armpit?

- Yes     No     Don't know/Refused

Go to Question #3 and mark "Neither."

Which side?

- Right                       Left                       Both

Draw blood on left side.

Draw blood on right side.

Do NOT draw blood on either side. Go to Question #3 and mark "Neither."

**3.** Which arm(s) can safely be used for phlebotomy?

**(Examiner Note: Refer to Questions #1 and #2.)**

- Right     Left     Either     Neither

Do NOT draw blood. Go to Procedure Checklist and mark appropriate bubble.

**4.** Have you had an illness in the past week requiring antibiotics, hospitalization, or steroids?

- Yes     No     Don't know/Refused

**5.** Do you bleed or bruise easily?

- Yes     No     Don't know/Refused

**6.** Have you ever been told you have a disorder related to blood clotting or coagulation?

- Yes     No     Don't know/Refused

**7.** Have you ever experienced fainting spells while having blood drawn?

- Yes     No     Don't know/Refused

**8.** What is the date and time you last ate or drank anything except water?

**(Examiner Note: Do not repeat question if already asked for urine collection on same day.)**

a. Date:  /  /

b. Time:  :   am  
 pm  
    Hours                      Minutes

c. How many hours has participant fasted?

Hours

**9.** Was any blood drawn?

**(Examiner Note: Proceed with the blood draw even if participant has not fasted.)**

- Yes     No

Please describe why not: \_\_\_\_\_

Were tubes filled to specified capacity?  
 (Note: wrap all tubes in foil or place in sheath.)

Tube	Volume	Filled to Capacity
1. EDTA	3 - 5 mL	<input type="radio"/> Yes <input type="radio"/> No
2. Serum	7 - 10 mL	<input type="radio"/> Yes <input type="radio"/> No

Time of blood draw:  :   am  
 pm  
    Hours                      Minutes

**10.** Comments on phlebotomy:

\_\_\_\_\_

\_\_\_\_\_



Visit	MOST ID #	Acrostic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>



## Laboratory Processing

First sample collection    Repeat sample collection

Time at start of EDTA plasma processing:  :   am  
 pm  
 Hours Minutes

Collection Tubes	Cryo #	Vol.	Cap	Condition of cryovial (mark only <u>one</u> )				
<b>#1 EDTA plasma tube</b>								
-plasma	01	0.5	V	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-plasma	02	0.5	V	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-plasma	03	0.5	V	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled

Ending time of EDTA plasma aliquoting:  :   am  
 pm  
 Hours Minutes

Bar Code Label

Enter ID from Bar Code label:

Time at start of serum processing:  :   am  
 pm  
 Hours Minutes

Collection Tubes	Cryo #	Vol.	Cap	Condition of cryovial (mark only <u>one</u> )				
<b>#2 Serum tube</b>								
-serum	04	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	05	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	06	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	07	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	08	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	09	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled
-serum	10	0.5	R	<input type="radio"/> OK	<input type="radio"/> H	<input type="radio"/> P	<input type="radio"/> B	<input type="radio"/> not filled

Ending time of serum aliquoting:  :   am  
 pm  
 Hours Minutes

Urine								
-urine	11	0.5	C	<input type="radio"/> OK	<input type="radio"/> P	<input type="radio"/> not filled		
-urine	12	0.5	C	<input type="radio"/> OK	<input type="radio"/> P	<input type="radio"/> not filled		
-urine	13	0.5	C	<input type="radio"/> OK	<input type="radio"/> P	<input type="radio"/> not filled		
-urine	14	0.5	C	<input type="radio"/> OK	<input type="radio"/> P	<input type="radio"/> not filled		

H=Hemolyzed P=Partial B=Both V=Violet R=Red C=Clear

# Accelerometry (StepWatch)



Visit	MOST ID #	Acroscopic	Staff ID#
<input type="radio"/> 60-month <input type="radio"/> 84-month	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>

## Distribution

1. Confirm that this is the correct participant: Ask their name, confirm in chart that the name matches the MOST ID# and Acroscopic at the top of this form.

2. Did the participant receive a StepWatch?

Yes

No

Please record serial number:







Why didn't participant receive a StepWatch?

**(Note: Mark all that apply.)**

- Participant refused
- Cognitive impairment
- No device available/schedule problem
- Participant not reliable
- Physical/medical problem (**Please specify:** \_\_\_\_\_ )
- Other (**Please specify:** \_\_\_\_\_ )

**Examiner Note: Ask participant:**

3. Will you be doing any water sports, such as swimming or water aerobics during the next week?

Yes

No

Don't know

**Let participant know that they can wear the StepWatch while they engage in water sports. Give participant an extra strap for their StepWatch.**

4. Date and time the StepWatch was set to begin recording:











Hours      Minutes

am

pm